

DEPARTMENT OF TRANSPORTATION

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30th Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

www.dot.ca.gov/hq/esc/oe

*Flex your power!
Be energy efficient!*

May 28, 2014

07-LA-605-R0.0/20.5

07-295704

Project ID 0713000025

ACNHPI-605-2(967)E

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN LOS ANGELES COUNTY FROM ORANGE COUNTY LINE TO ROUTE 10/605 SEPARATION.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Thursday, June 5, 2014.

This addendum is being issued to revise the project plans, the *Notice to Bidders and Special Provisions*, the *Bid* book, and the Federal Minimum Wages with Modification Number 7 dated 05/23/2014.

Project plan sheets 62, 63, 146, and 148 are replaced and attached for substitution for the like-numbered sheets.

Project plan sheet 64 is deleted.

In the *Notice to Bidders and Special Provisions*, in the Registered Persons signature and seal sheet is replaced as attached.

In the Special Provisions, Section 39-1.02D(1) the following paragraph is added after the first paragraph.

"For HMA-SP (Type A), the grade of binder must be 64-10."

In the Special Provisions, Section 39-1.02E, "Aggregate," the following paragraph is added after the second paragraph.

"The aggregate for HMA-SP (Type A) must comply with the 3/4-inch grading."

In the Special Provisions, Section 40-1.01D(3) is replaced as attached.

In the Special Provisions, Section 40-8.03C(1) the following paragraph is added after the third paragraph.

"Before installing PJCP, attach joint filler across the full length and depth of the transverse and longitudinal panel faces, except at joint keys and keyways. Place the top of the joint filler flush with the top edge of the panel and extend it to the bottom edge of the panel. Secure joint filler to the panel face and prevent it from moving, curling, tearing and other damage. Repair or replace damaged joint filler.

At dowel slots, joint filler installation must comply with caulking and foam inserts requirement of this specification."

Addendum No. 1
Page 2
May 28, 2014

07-LA-605-R0.0/20.5
07-295704
Project ID 0713000025
ACNHPI-605-2(967)E

In the Special Provisions, Section 41-12.03C(1) the following paragraph is added after the third paragraph.

"Before installing PCP, attach joint filler across the full length and depth of the transverse and longitudinal panel faces. Place the top of the joint filler recessed below the top of the panel and extend it to the bottom edge of the panel. Secure joint filler to the panel face and prevent it from moving, curling, tearing and other damage. Repair or replace damaged joint filler.

At dowel slots, joint filler installation must comply with caulking and foam inserts requirement of this specification."

In the *Bid* book, in the "Bid Item List," Items 23, 29, 76 and 81 are replaced and Item 70 is deleted as attached.

To *Bid* book holders:

In the *Bid* book, pages 4, 6, and 7 of the "Bid Item List" are replaced as attached. The attached Bid Item List is to be used in the bid.

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the *Notice to Bidders* section of the *Notice to Bidders and Special Provisions*.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the *Bid* book.

Submit bids in the *Bid* book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This addendum, attachments and the modified wage rates are available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/07/07-295704

If you are not a *Bid* book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



CARRIE L. BOWEN
District Director


Attachments

CONTRACT No. 07-295704

The special provisions contained herein have been prepared by or under the direction of the following Registered Persons.

HIGHWAYS

Nancy N. Pe
REGISTERED CIVIL ENGINEER




MAINTAINING TRAFFIC

Ravi Mishreki
REGISTERED CIVIL ENGINEER




ELECTRICAL

Stanley L. Johnson
REGISTERED ELECTRICAL ENGINEER



ELECTRICAL - ITS

Jacqueline C. Tan
REGISTERED ELECTRICAL ENGINEER



Replace "Reserved" in section 40-1.01D(3) of the RSS for section 40 with:

Your personnel required to attend the prepaving conference must also complete just-in-time-training (JITT) for individual precast slab replacement and precast jointed concrete pavement. Provide the facility for the training.

At least 5 business days before JITT, submit:

1. Instructor's name and listed experience
2. Training location
3. One copy of:
 - 3.1. Course syllabus
 - 3.2. Handouts
 - 3.3. Presentation materials

The Engineer provides training evaluation forms, and each attendee must complete them 5 business days after JITT, submit completed training evaluation forms to the Engineer and the electronic mailbox address:

Construction_Engineering_HQ@dot.ca.gov

JITT may be an extension of the prepaving conference and must be:

1. At least 4 hours long
2. Conducted at a mutually agreed place
3. Completed at least 20 days before you start paving activities
4. Conducted during normal working hours

JITT instructor must be on Approved Precast JITT Instructor List available at:

http://www.dot.ca.gov/hq/maint/Pavement/Offices/Pavement_Engineering/index.html Upon JITT completion, the instructor must issue a certificate of completion to each participant.

The Department reimburses you for 1/2 of the cost for providing the JITT. The Engineer determines the costs under section 9-1.04 except no markups are added. Costs include training materials; facility use; and the JITT instructor's wages including the instructor's travel, lodging, meals and presentation materials. The Department does not pay your costs for attending JITT.

**BID ITEM LIST
07-295704**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
21	027294	REMOVE CONCRETE PAVEMENT, BASE, AND SUBBASE	CY	5,420		
22	027295	ADJUST INLET TO GRADE	EA	1		
23	027296	ADJUST PULL BOX TO GRADE	EA	14		
24	153103	COLD PLANE ASPHALT CONCRETE PAVEMENT	SQYD	308,000		
25	153215	REMOVE CONCRETE (CURB AND GUTTER)	LF	1,110		
26	027297	REMOVE CONCRETE (SIDEWALK AND CURB RAMP)	SQYD	790		
27	156590	REMOVE CRASH CUSHION (SAND FILLED)	EA	18		
28	190101	ROADWAY EXCAVATION	CY	720		
29	192053	STRUCTURE EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD)	CY	336		
30	200114	ROCK BLANKET	SQFT	15,100		
31	027298	ALTERNATE TREATED BASE	CY	1,320		
32	027299	LEAN CONCRETE BASE RAPID SETTING CONCRETE (3/8")	CY	210		
33	280200	REPLACE BASE	CY	450		
34	360200	BASE BOND BREAKER	SQYD	12,000		
35	390300	HOT MIX ASPHALT, SUPERPAVE (TYPE A)	TON	85		
36	390301	RUBBERIZED HOT MIX ASPHALT, SUPERPAVE (GAP GRADED)	TON	35,100		
37	394073	PLACE HOT MIX ASPHALT DIKE (TYPE A)	LF	1,300		
38	394074	PLACE HOT MIX ASPHALT DIKE (TYPE C)	LF	740		
39	397005	TACK COAT	TON	55		
40	027300	PRECAST JOINTED CONCRETE PAVEMENT	CY	3,990		

BID ITEM LIST
07-295704

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
61	568001	INSTALL SIGN (STRAP AND SADDLE BRACKET METHOD)	EA	13		
62	568016	INSTALL SIGN PANEL ON EXISTING FRAME	SQFT	33,600		
63	730070	DETECTABLE WARNING SURFACE	SQFT	1,370		
64	027302	MINOR CONCRETE (RETAINING CURB, SIDEWALK, CURB RAMP, CURB AND GUTTER)	CY	180		
65	733000	PRE/POST CONSTRUCTION SURVEYS	EA	23		
66	832007	MIDWEST GUARDRAIL SYSTEM (WOOD POST)	LF	1,980		
67	832015	MIDWEST GUARDRAIL SYSTEM (7' WOOD POST)	LF	5,340		
68	832070	VEGETATION CONTROL (MINOR CONCRETE)	SQYD	1,440		
69	839302	SINGLE THRIE BEAM BARRIER (WOOD POST)	LF	200		
70		BLANK				
71	839576	END CAP (TYPE A)	EA	4		
72	839578	END CAP (TYPE TC)	EA	29		
73	839581	END ANCHOR ASSEMBLY (TYPE SFT)	EA	11		
74	839584	ALTERNATIVE IN-LINE TERMINAL SYSTEM	EA	6		
75	839585	ALTERNATIVE FLARED TERMINAL SYSTEM	EA	14		
76	027303	CRASH CUSHION (SCI 100GM)	EA	2		
77	027304	CONCRETE BARRIER (TYPE 736B MOD)	LF	890		
78	840504	4" THERMOPLASTIC TRAFFIC STRIPE	LF	570,000		
79	840506	8" THERMOPLASTIC TRAFFIC STRIPE	LF	437,000		
80	840508	8" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)	LF	33,800		

**BID ITEM LIST
07-295704**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
81	840515	THERMOPLASTIC PAVEMENT MARKING	SQFT	24,200		
82	840525	4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)	LF	703,000		
83	840526	4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 17-7)	LF	14,600		
84	840550	8" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)	LF	30,500		
85	840656	PAINT TRAFFIC STRIPE (2-COAT)	LF	950,000		
86	850101	PAVEMENT MARKER (NON-REFLECTIVE)	EA	58,800		
87	850111	PAVEMENT MARKER (RETROREFLECTIVE)	EA	44,200		
88	860090	MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION	LS	LUMP SUM	LUMP SUM	
89	860806	INDUCTIVE LOOP DETECTOR (EA)	EA	580		
90	027305	MODIFY CHANGEABLE MESSAGE SIGN	LS	LUMP SUM	LUMP SUM	
91	869075	SYSTEM TESTING AND DOCUMENTATION	LS	LUMP SUM	LUMP SUM	
92	999990	MOBILIZATION	LS	LUMP SUM	LUMP SUM	

TOTAL BID:

\$
