

DEPARTMENT OF TRANSPORTATION

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30th Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

www.dot.ca.gov/hq/esc/oe



*Serious Drought.
Help save water!*

October 28, 2014

12-Ora-91,405-Var

12-0M7204

Project ID 1213000001

ACNHP-X059(058)E

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN ORANGE COUNTY IN BUENA PARK, IRVINE AND COSTA MESA AT VARIOUS LOCATIONS.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on November 6, 2014.

This addendum is being issued to revise the project plans, the *Notice to Bidders and Special Provisions*, and the Federal Minimum Wages with Modification Number 19 dated 10/17/14.

Project plan sheets 8, 38, 89, 99, and 107 are replaced and attached for substitution for the like-numbered sheets.

Project plan sheet 77A is added and attached for addition to the project plans.

In the *Notice to Bidders and Special Provisions*, in the "STANDARD PLANS LIST," the following Standard Plans are added as follows:

"RSP A77U3, RSP A77U4, RSP D77A, RSP ES-8, RSP ES-8B."

In the *Notice to Bidders and Special Provisions*, in the "STANDARD PLANS LIST," the following Standard Plan is deleted as follows:

"RSP A62DA."

In the Special Provisions, Section 1-1.01, "Bid Items and Applicable Sections," is replaced as attached.

Addendum No. 1
Page 2
October 28, 2014

12-Ora-91,405-Var
12-0M7204
Project ID 1213000001
ACNHP-X059(058)E

In the Special Provisions, Section 9-1.16C, is added as attached.

In the Special Provisions, Section 10-1.03, is added as attached.

In the Special Provisions, Section 12-4.05B, "Chart 3," is replaced as attached.

In the Special Provisions, Section 12-4.05B, "Chart 3a," is added as attached.

In the Special Provisions, Section 12-4.05B, "Chart 3b," is added as attached.

In the Special Provisions, Section 12-4.05B, "Chart 5," is replaced as attached.

In the Special Provisions, Section 12-4.05B, "Chart 5a," is added as attached.

In the Special Provisions, Section 12-4.05B, "Chart 5b," is added as attached.

In the Special Provisions, Section 11, "QUALITY CONTROL AND ASSURANCE," is deleted.

In the Special Provisions, Section 40, "CONCRETE PAVEMENT," is deleted.

In the Special Provisions, Section 59, "PAINTING," the 59-2.01C(2) paragraph is replaced as follows:

"Submit proof of required SSPC-QP certification for AISC-420-10/SSPC-QP3(Enclosed Shop)."

In the Special Provisions, Section 86-1.03, is deleted.

In the Special Provisions, Section 86-2.11B, is added as attached.

To *Bid* book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the *Notice to Bidders* section of the *Notice to Bidders and Special Provisions*.

Submit the *Bid* book as described in the *Electronic Bidding Guide* at the Bidders' Exchange website.

http://www.dot.ca.gov/hq/esc/oe/electronic_bidding/electronic_bidding.html

Inform subcontractors and suppliers as necessary.

*"Provide a safe, sustainable, integrated and efficient transportation system
to enhance California's economy and livability"*

Addendum No. 1
Page 3
October 28, 2014


12-Ora-91,405-Var
12-0M7204
Project ID 1213000001
ACNHP-X059(058)E

This addendum, EBS addendum file, attachments and the modified wage rates are available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/12/12-0M7204

If you are not a *Bid* book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



ADNAN MAIAH
Deputy District Director
Capital Outlay Program/Single Focal Point



Attachments

Add to section 1-1.01:

Bid Items and Applicable Sections

Item code	Item description	Applicable section
044759	INSTALL STUD CONNECTOR	55
044760	COMPOSITE COLUMN CASING	55
044761	SLOPE PAVING	72
044762	CONCRETE BARRIER (TYPE 60R MODIFIED)	83
044763	CONCRETE BARRIER (TYPE 60R)	83

CONTRACT NO. 12-0M7204
REPLACED PER ADDENDUM NO. 1 DATED OCTOBER 28, 2014

Add to section 9-1.16C:

The following items are eligible for progress payment even if they are not incorporated into the work:

1. Luminaires
2. Bar Reinforcing Steel
3. Steel Column Casing
4. Pavement Marker (Non-Reflective)
5. Pavement Marker (Retroreflective)
6. Midwest Guardrail System (Wood Post)
7. Transition Railing (Type WB-31)

Replace "Reserved" in section 10-1.03 of the RSS for section 10-1 with:
No work is allowed over Beach Blvd UC Br No. 55-0303 from October 1 to October 31 of each year.

CONTRACT NO. 12-0M7204
ADDED PER ADDENDUM NO. 1 DATED OCTOBER 28, 2014

Replace "Reserved" in section 12-4.05B with:

Chart no. 3 Freeway/Expressway Lane Requirements																									
County: OC										Route/Direction: Rte 405 NB/SB										PM:7.8					
Closure limits: MacArthur Blvd. (Bridge No. 55 0440L)																									
Hour	24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Mon-Thu	4	4	4	4	4	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	4
Fri	4	4	4	4	4	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Sat	4	4	4	4	4	4	4	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Sun	4	4	4	4	4	4	4	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	4

Legend:

4	Provide at least 4 adjacent through freeway lanes open in direction of travel
N	No work allowed

REMARKS: **Bridge seismic Restoration,**
 * For the center column close HOV lanes in both directions and adjacent mixed flow lane with 2 feet safety available for the motorists.

Replace "Reserved" in section 12-4.05B with:

Chart no. 3a Freeway/Expressway Lane Requirements																									
County: OC										Route/Direction: Rte 405 NB										PM:7.8					
Closure limits: MacArthur Blvd. (Bridge No. 55 0440L)																									
Hour	24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Mon-Thu	S	S	S	S	S	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	S
Fri	S	S	S	S	S	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Sat	S	S	S	S	S	S	S	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Sun	S	S	S	S	S	S	S	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	S
Legend:																									
S Shoulder closure allowed (right /left)																									
N No work allowed																									
REMARKS: Bridge seismic Restoration, This closure is for the NB bent retrofit work only!																									

Replace "Reserved" in section 12-4.05B with:

Chart no. 3b Freeway/Expressway Lane Requirements																									
County: OC						Route/Direction: Rte 405 SB						PM:7.8													
Closure limits: MacArthur Blvd. (Bridge No. 55 0440L)																									
Hour	24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Mon-Thu	4	4	4	4	4	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	4
Fri	4	4	4	4	4	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Sat	4	4	4	4	4	4	4	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Sun	4	4	4	4	4	4	4	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	4
Legend:																									
4 Provide at least 4 adjacent through freeway lanes open in direction of travel																									
N No work allowed																									
REMARKS: Bridge seismic Restoration, This closure is for the SB bent retrofit work only!																									

Replace "Reserved" in section 12-4.05B with:

Chart no. 5 Freeway/Expressway Lane Requirements																									
County: OC										Route/Direction: Rte 405 NB/SB										PM:9.89					
Closure limits: Bear Street, (Bridge No. 55 0433)																									
Hour	24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Mon-Thu	4	4	4	4	4	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	4
Fri	4	4	4	4	4	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Sat	4	4	4	4	4	4	4	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Sun	4	4	4	4	4	4	4	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	4

Legend:

4 Provide at least 4 adjacent through freeway lanes open in direction of travel

N No work allowed

REMARKS: **Bridge seismic Restoration,**
 * For the center column close HOV lanes in both directions and adjacent mixed flow lane with 2 feet safety available for the motorists.

Replace "Reserved" in section 12-4.05B with:

Chart no. 5a Freeway/Expressway Lane Requirements																									
County: OC					Route/Direction: Rte 405 NB										PM:9.89										
Closure limits: Bear Street, (Bridge No. 55 0433)																									
Hour	24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Mon-Thu	S	S	S	S	S	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	S
Fri	S	S	S	S	S	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Sat	S	S	S	S	S	S	S	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Sun	S	S	S	S	S	S	S	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	S

Legend:

S Shoulder closure allowed (right /left)

N No work allowed

REMARKS: Bridge seismic Restoration,
This closure is for the NB bent retrofit work only!

Replace "Reserved" in section 12-4.05B with:

Chart no. 5b Freeway/Expressway Lane Requirements																									
County: OC										Route/Direction: Rte 405 SB										PM:9.89					
Closure limits: Bear Street, (Bridge No. 55 0433)																									
Hour	24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Mon-Thu	4	4	4	4	4	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	4
Fri	4	4	4	4	4	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Sat	4	4	4	4	4	4	4	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Sun	4	4	4	4	4	4	4	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	4
Legend:																									
4 Provide at least 4 adjacent through freeway lanes open in direction of travel																									
N No work allowed																									
REMARKS: Bridge seismic Restoration, This closure is for the SB bent retrofit work only!																									

Replace "Reserved" in section 86-2.11B with:

Electric service (irrigation) must be from the service points to the irrigation controllers (IC) and to the spaces provided in the irrigation controller enclosure cabinets (CEC) for irrigation controllers as shown.

Irrigation Controller (IC) : A single-pole, 20-A circuit breaker must be installed in the existing _120/240 V(ac), The circuit breaker must be of the same manufacturer and model and interrupting capacity as the existing circuit breakers.

Conductors, conduit, and pull boxes to the pull box adjacent to irrigation controller enclosure cabinets and irrigation controllers are included in the payment for electric service (irrigation).