































<b>LANDSCAPE</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
AIC	AUXILIARY IRRIGATION CONTROLLER (Level = 50, Co = 1,250, Wt = 0,1) (Masking)	Graphic	Symbol	
BP	BOOSTER PUMP (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
BPA	BACKFLOW PREVENTER ASSEMBLY (Level = 50, Co = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
BPE	BKFLOW PREVENTER ENCLOSURE (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
BV	BALL VALVE (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
CAP	CAP (Level = 50, Color = 1, Weight = 1)	Graphic	Symbol	
CARV	COMB AIR RELEASE VALVE ASSY (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
CCA	CAM COUPLER ASSEMBLY (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
CES	CONNECT TO EXISTING SYSTEM (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
CLG	CHAIN LINK GATE (Level = 50, Color = 1, Weight = 1)	Graphic	Symbol	





<b>LANDSCAPE</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
CNC	CONTROL AND NEUTRL CONDUCTORS (Level = 50, Color = 1, Weight = 1)	Graphic	Line Pattern	
COND	IRRIGATION CONDUIT (Level = 50, Color = 0, Weight = 1)	Graphic	Line Pattern	
CV	CHECK VALVE (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
DIP	DUCTILE IRON PIPE SUPPLY LINE (Level = 50, Color = 1, Weight = 1)	Graphic	Line Pattern	
FCV	FLOW CONTROL VALVE (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
FS	FLOW SENSOR (Level = 50, Color = 1.250, Weight = 1) (Masking)	Graphic	Symbol	
FV	FLUSH VALVE (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
GARV	GARDEN VALVE ASSEMBLY (Level = 50, Color = 1.250, Weight = 1) (Masking)	Graphic	Symbol	
GC1	GROUND COVER EDGE (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	
GC2	STAR GROUND COVER (Level = 49, Color = 2, Weight = 0)	Graphic	Symbol	




<b>LANDSCAPE</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
GC3A	RABBITS FEET GROUND COVER (Level = 49, Color = 2, Weight = 0)	Graphic	Area Pattern	
GC3B	DOTTED GROUND COVER (Level = 49, Color = 2, Weight = 1)	Graphic	Area Pattern	
GC3C	CHICKEN FEET GROUND COVER (Level = 49, Color = 2, Weight = 0)	Graphic	Area Pattern	
GSPL	GALVANIZED STEELPIPE LATERAL (Level = 50, Color = 1, Weight = 1)	Graphic	Line Pattern	
GSPM	GALVANIZED STEEL PIPE MAIN (Level = 50, Color = 1, Weight = 3)	Graphic	Line Pattern	
GV	GATE VALVE (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
IC	IRRIGATION CONTROLLER (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
ICC	CONTROLLER ENCLOSUR CABINET (Level = 50, Color = 1,250, Wt = 0,1) (Masking)	Graphic	Symbol	
IQ1	IRRIGATION QUANTITY SHEET 1 (Level = 10, Color = 0, Wt = 0-3)	Graphic	Symbol	
IQ2	IRRIGATION QUANTITY SHEET 2 (Level = 10, Color = 0, Wt = 0-3)	Graphic	Symbol	



<b>LANDSCAPE</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
IQ3	IRR QUANT SHT 1 CONSULTANT (Level=10, Color=0, Wt=0-3)	Graphic	Sheet	
IQ4	IRR QUANT SHT 2 CONSULTANT (Level=10, Color=0, Wt=0-3)	Graphic	Sheet	
IRXSCH	IRRIGATION CONDUIT SCHEDULE (Level = 50, Color = 1, Wt = 0-3)	Graphic	Table	
LAMCLP	LANDSCAPE FULL CLIP (Level = 61, Color = 3, Weight = 2)	Graphic	Sheet	
LANCLP	LANDSCAPE TITLE CLIP (Level = 61, Color = 3, Weight = 2)	Graphic	Sheet	
LAND	LANDSCAPE BORDER SHEET (Level = 10, Color = 0, Wt = 0-3)	Graphic	Sheet	
LAND2	LANDSCAPE BORDER CONSULTANT (Level = 10, Color = 0, Wt = 0-3)	Graphic	Sheet	
LASEAL	LICENSED LANDSCAPE ARCHITECT SEAL (Level = 10, Color = 0, Wt = 0,2)	Graphic	Sheet	
LMCLP2	LANDSCAPE FULL CLIP CONSULTANT (Level = 61, Color = 3, Weight = 2)	Graphic	Sheet	
LNCLP2	LANDSCAPE TITLE CLIP CONSULTANT-2 (Level = 61, Color = 3, Weight = 2)	Graphic	Sheet	



<b>LANDSCAPE</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
LNCLP3	LANDSCAPE TITLE CLIP CONSULTANT-3 (Level = 61, Color = 3, Weight = 2)	Graphic	Sheet	
LTITLE	LANDSCAPE TITLE SHEET (Level = 10, Color = 0,1,2, Wt = 0-3)	Graphic	Sheet	
LTITL2	LANDSCAPE TITLE CONSULTANT-2 (Level = 10, Color = 0,1,2, Wt = 0-3)	Graphic	Sheet	
LTITL3	LANDSCAPE TITLE CONSULTANT-3 (Level = 10, Color = 0,1,2, Wt = 0-3)	Graphic	Sheet	
MIC	MASTER IRRIGATION CONTROLLER (Level = 50, Color = 1,250, Wt = 0,1) (Masking)	Graphic	Symbol	
PLTLST	PLANT LIST SHEET (Level = 10, Color = 0, Wt = 0-3)	Graphic	Sheet	
PLTLT2	PLANT LIST SHEET CONSULTANT (Level = 10, Color = 0, Wt = 0-3)	Graphic	Sheet	
PPSL	PLASTIC PIPE SUPPLY LINE-LATERAL (Level = 50, Color = 1, Weight = 1)	Graphic	Line Pattern	
PPSM	PLASTIC PIPE SUPPLY LINE-MAIN (Level = 50, Color = 1, Weight = 3)	Graphic	Line Pattern	
PRLV	PRESSURE RELIEF VALVE (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	







<b>LANDSCAPE</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
PRV	PRESSURE REGULATING VALVE (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
QCV	QUICK COUPLING VALVE (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
QCVSP	QUICK COUPLING VALVE WITH SPRINKLER PROTECTOR (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
RCV	REMOTE CONTROL VALVE (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
S1	INDIVIDUAL SHRUB 10FT WIDE (Level = 49, Color = 2, Weight = 1)	Graphic	Symbol	
S2	10 FOOT DIAMETER SHRUB WITH CENTER (Level = 49, Color = 2, Wt = 0,1)	Graphic	Symbol	
S3	10 FOOT DIAMETER SHRUB WITH FULL CENTER (Level = 49, Color = 2, Wt = 0,1)	Graphic	Symbol	
S4	10 FOOT DIAMETER SHRUB WITH PLUS CENTER (Level = 49, Color = 2, Wt = 0,1)	Graphic	Symbol	
S5	HEX SHRUB WITH TRIANGLE CENTER (Level = 49, Color = 2, Weight = 1)	Graphic	Symbol	
S6A	ROUND SHRUB WITH 5 FOOT CENTERS -1 SIDE (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	





<b>LANDSCAPE</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
S6AF	ROUND SHRUB WITH 6 FOOT CENTERS - 2 SIDE (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	
S6B	SQUARE SHRUB WITH 6 FOOT CENTERS - 1 SIDE (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	
S6BF	SQUARE SHRUB WITH 6 FOOT CENTERS - 2 SIDES (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	
S10A	ARC / ANGLE SHRUB - 1 SIDE (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	
S10AF	ARC / ANGLE SHRUB -10 FEET WIDE (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	
S10B	CLOUD SHRUB -1 SIDE (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	
S10BF	CLOUD SHRUB - 10 FEET WIDE (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	
S10C	ROUND SHRUB WITH 10 FOOT CENTERS - 1 SIDE (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	
S10CF	ROUND SHRUB WITH 10 FOOT CENTERS - 2 SIDES (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	
S15A	SQUARE SHRUB WITH 15 FOOT CENTERS - 1 SIDE (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	




<b>LANDSCAPE</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
S15AF	SQUARE SHRUB WITH 15 FOOT CENTERS - 2 SIDES (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	
S15B	ROUND SHRUB WITH 15 FOOT CENTER - 1 SIDE (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	
S15BF	ROUND SHRUB WITH 15 FOOT CENTERS - 2 SIDES (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	
S15C	CASTLE SHRUB - 1 SIDE (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	
S15CF	CASTLE SHRUB - 15 FEET WIDE (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	
S20A	ROUND SHRUB WITH 20 FOOT CENTER - 1 SIDE (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	
S20AF	ROUND SHRUB WITH 20 FOOT CENTER - 2 SIDES (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	
S20B	CLOUD SHRUB - 1 SIDE (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	
S20BF	CLOUD SHRUB - 20 FEET WIDE (Level = 49, Color = 2, Weight = 1)	Graphic	Line Pattern	
SCC	SPRINKLER CONTROL CONDUIT (Level = 50, Color = 1, Weight = 1)	Graphic	Line Pattern	


<b>LANDSCAPE</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
SPRSCH	SPRINKLER SCHEDULE (Level = 50, Color = 1, Wt = 0-3)	Graphic	Table	
STA1F	SPRINKLER TYPE A1 FULL (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STA1P	SPRINKLER TYPE A1 PART (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STA2F	SPRINKLER TYPE A2 FULL (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STA2P	SPRINKLER TYPE A2 PART (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STA3F	SPRINKLER TYPE A3 FULL (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STA3P	SPRINKLER TYPE A3 PART (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STA4F	SPRINKLER TYPE A4 FULL (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STA4P	SPRINKLER TYPE A4 PART (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STA5F	SPRINKLER TYPE A5 FULL (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	



<b>LANDSCAPE</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
STA5P	SPRINKLER TYPE A5 PART (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STA6F	SPRINKLER TYPE A6 FULL (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STA6P	SPRINKLER TYPE A6 PART (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STA7F	SPRINKLER TYPE A7 FULL (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STA7P	SPRINKLER TYPE A7 PART (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STA8F	SPRINKLER TYPE A8 FULL (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STA8P	SPRINKLER TYPE A8 PART (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STA9F	SPRINKLER TYPE A9 FULL (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STA9P	SPRINKLER TYPE A9 PART (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STA10F	SPRINKLER TYPE A10 FULL (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	







<b>LANDSCAPE</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
STA10P	SPRINKLER TYPE A10 PART (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STB1	SPRINKLER TYPE B1 (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STB2	SPRINKLER TYPE B2 (Level = 50, Color = 1, Weight = 1)	Graphic	Symbol	
STB3	SPRINKLER TYPE B3 (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STB4	SPRINKLER TYPE B4 (Level = 50, Color = 1, Weight = 1)	Graphic	Symbol	
STB5	SPRINKLER TYPE B5 (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STB6	SPRINKLER TYPE B6 (Level = 50, Color = 1, Weight = 1)	Graphic	Symbol	
STC1	SPRINKLER TYPE C1 (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STC2	SPRINKLER TYPE C2 (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
STC3	SPRINKLER TYPE C3 (Level = 50, Color = 1, Weight = 1)	Graphic	Symbol	





<b>LANDSCAPE</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
SWCP	SPRINKLER WITH CONCRETE PROTECTOR (Level = 50, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
T1	PLAIN CIRCLE TREE (Level = 49, Color = 2, Weight = 3)	Graphic	Symbol	
T1A	CIRCLE IN CIRCLE TREE (Level = 49, Color = 2, Wt = 1,3)	Graphic	Symbol	
T1B	FULL CIRCLE IN CIRCLE TREE (Level = 49, Color = 2, Wt = 1,3)	Graphic	Symbol	
T1C	TRIANGLE IN CIRCLE TREE (Level = 49, Color = 2, Wt = 0,3)	Graphic	Symbol	
T1D	SQUARE IN CIRCLE TREE (Level = 49, Color = 2, Wt = 0,3)	Graphic	Symbol	
T1E	PARALLELOGRAM IN CIRCLE (Level = 49, Color = 2, Wt = 1,3)	Graphic	Symbol	
T2A	PIE CHART TREE WITH FULL CENTER (Level = 49, Color = 2, Wt = 0,1,3)	Graphic	Symbol	
T2B	CIRCLE WITH 3 RADIATING LINES (Level = 49, Color = 2, Wt = 0,3)	Graphic	Symbol	
T2C	CIRCLE WITH 5 RADIATING LINES (Level = 49, Color = 2, Wt = 0,3)	Graphic	Symbol	






<b>LANDSCAPE</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
T3A	CIRCLE W SHORT LINES (Level = 49, Color = 2, Wt =1,3)	Graphic	Symbol	
T3B	CIRCLE W 4 SPIKES (Level = 49, Color = 2, Wt =1,3)	Graphic	Symbol	
T3C	ORANGE SLICE TREE (Level = 49, Color = 2, Wt = 0,1,3)	Graphic	Symbol	
T3D	OFFSET CIRCLE TREE (Level = 49, Color = 2, Wt =1,3)	Graphic	Symbol	
T3E	TREE WITH 3 INVERTED ARCS (Level = 49, Color = 2, Wt =1,3)	Graphic	Symbol	
T3F	TREE WITH 5 INVERTED ARCS (Level = 49, Color = 2, Wt =1,3)	Graphic	Symbol	
T4A	PUFFBALL TREE (Level = 49, Color = 2, Wt =1,3)	Graphic	Symbol	
T4B	ROUGH INVERTED ARC TREE (Level = 49, Color = 2, Wt =1,3)	Graphic	Symbol	
T4C	SMOOTH INVERTED ARC TREE (Level = 49, Color = 2, Wt =1,3)	Graphic	Symbol	
T4D	STARBURST TREE 1 (Level = 49, Color = 2, Wt =1,2)	Graphic	Symbol	

<b>LANDSCAPE</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
T4E	STARBURST TREE 2 (Level = 49, Color = 2, Wt =1,2)	Graphic	Symbol	
T5A	HEXAGON TREE (Level = 49, Color = 2, Weight = 3)	Graphic	Symbol	
T5B	HEX TREE WITH CIRCLE CENTER (Level = 49, Color = 2, Wt =1,3)	Graphic	Symbol	
T5C	HEX TREE WITH FULL CIRCLE CENTER (Level = 49, Color = 2, Wt =1,3)	Graphic	Symbol	
T5D	HEX TREE W TRIANGLE CTR (Level = 49, Color = 2, Wt =1,3)	Graphic	Symbol	
T5E	HEX TREE WITH SQUARE CENTER (Level = 49, Color = 2, Wt =1,3)	Graphic	Symbol	
T5F	HEX GEAR TREE (Level = 49, Color = 2, Wt =1,3)	Graphic	Symbol	
T6A	PENTAGON TREE (Level = 49, Color = 2, Wt = 3)	Graphic	Symbol	
T6B	PENTEGON TREE WITH CIRCLE CENTER (Level = 49, Color = 2, Wt =1,3)	Graphic	Symbol	
T6C	PENTEGON TREE WITH FULL CIRCLE CENTER (Level = 49, Color = 2, Wt =1,3)	Graphic	Symbol	





<b>LANDSCAPE</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
T6D	PENTAGON TREE WITH BOX CENTER (Level = 49, Color = 2, Wt =1,3)	Graphic	Symbol	
T6E	PENTAGON TREE WITH TRIANGLE CENTER (Level = 49, Color = 2, Wt =1,3)	Graphic	Symbol	
T6F	PENTAGON GEAR TREE (Level = 49, Color = 2, Wt =1,3)	Graphic	Symbol	
TLS	TRUCK LOADING STDPIPE (Level = 50, Color = 1,250, Weight =1) (Masking)	Graphic	Symbol	
VALVCD	VALVE CODE DETAIL (Level = 50, Color = 1, Wt =0,1)	Graphic	Notes	
VAU	DRIP VALVE ASSEMBLY (Level = 50, Color = 1,250, Wt =0,1) (Masking)	Graphic	Symbol	
VCB	CONTROL VALVE CODE BUBBLE (Level = 50, Color = 1, Weight =1)	Graphic	Symbol	
VINE1	OPEN VINE (Level = 49, Color = 2, Weight =0)	Graphic	Line Pattern	
VINE2	VINE FULL (Level = 49, Color = 2, Weight =0)	Graphic	Line Pattern	
VINE3	VINE OPEN WITH VEE (Level = 49, Color = 2, Weight =0)	Graphic	Line Pattern	







<b>LANDSCAPE</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
WM	WATER METER (Level = 50, Color = 1,250, Wt =0,1) (Masking)	Graphic	Symbol	
WS	WYE STRAINER ASSEMBLY (Level = 50, Color = 1,250, Wt =0,1) (Masking)	Graphic	Symbol	
XAIC	AUXILIARY IRRIGATION CONTROLLER (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XBP	BOOSTER PUMP (Level = 29, Color = 7.250, Weight =1) (Masking)	Graphic	Symbol	
XBPA	BACKFLOW PREVENTER ASSEMBLY (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XBPAE	BACKFLOW PREVENTOR ENCLOSURE (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XPBNE	BACKFLOW PREVENTOR WITH NO ENCLOSURE (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XBV	BALL VALVE (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XCAP	CAPPED (Level = 29, Color = 7, Weight =1)	Graphic	Symbol	
XCARV	COMBINATION AIR RELEASE VALVE (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	





<b>LANDSCAPE</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
XCCA	CAM COUPLER ASSEMBLY (Level = 29, Color = 7,250, Weight = 1) (Masking)	Graphic	Symbol	
XCLG	CHAIN LINK GATE (Level = 29, Color = 7, Weight =1)	Graphic	Symbol	
XCNC	CONTROL AND NEUTRL CONDUCTORS (Level = 29, Color = 7, Weight =0)	Graphic	Line Pattern	
XCOND	IRRIGATION CONDUIT (Level = 29, Color = 7, Weight =1)	Graphic	Line Pattern	
XCV	CHECK VALVE (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XDIP	DUCTILE IRON PIPE (Level = 29, Color = 7, Wt =1,2)	Graphic	Line Pattern	
XFAU	FILTER ASSEMBLY UNIT (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XFCV	FLOW CONTROL V ALVE (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XFS	FLOW SENSOR (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XFV	FLUSH VALVE (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	



<b>LANDSCAPE</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
XGARV	GARDEN VALVE ASSEMBLY (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XGSPL	GALVANIZED STEEL PIPE - LATERAL (Level = 29, Color = 7, Weight =1)	Graphic	Line Pattern	
XGSPM	GALVANIZED STEEL PIPE - MAIN (Level = 29, Color = 7, Weight =3)	Graphic	Line Pattern	
XGV	GATE VALVE (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XIC	IRRIGATION CONTROLLER (Level = 29, Color = 7.250, Weight =1) (Masking)	Graphic	Symbol	
XICC	IRRIGATION CONTROLLER IN CABINET (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XMIC	MASTER IRRIGATION CONTROLLER (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XPPSL	PLASTIC PIPE SUPPLY LINE LATERAL (Level = 29, Color = 7, Weight =1)	Graphic	Line Pattern	
XPPSM	PLASTIC PIPE SUPPLY LINE MAIN (Level = 29, Color = 7, Weight =3)	Graphic	Line Pattern	
XPRLV	PRESSURE RELIEF VALVE (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	



<b>LANDSCAPE</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
XPRV	PRESSURE REGULATING VALVE (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XQCVSP	QUICK COUPLING VALVE SPRINKLER PROTECTOR (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XQCV	QUICK COUPLING VALVE (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XRCV	REMOTE CONTROL VALVE (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XSCC	SPRINKLER CONTROL CONDUIT (Level = 29, Color = 7, Wt = 0,1)	Graphic	Line Pattern	-----scc-----
XSWCP	SPRINKLER WITH SPRINKLER PROTECTOR (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XTLS	TRUCK LOADING STANDPIPE (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XVAU	DRIP VALVE ASSEMBLY (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XWM	WATER METER (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	
XWS	WYE STRAINER ASSEMBLY (Level = 29, Color = 7,250, Weight =1) (Masking)	Graphic	Symbol	

<b>PHOTO</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
ANCHT	ANCHOR TERMINATOR (Level = 5, Color = 6, Weight =0)	Graphic	Symbol	
ATC	AEROTRI CONTROL PUG	Point	Symbol	
C4	CODE 4 CONTROL POINT	Point	Symbol	
CBX	CALL BOX (Level = 5, Color = 6, Weight =0)	Graphic	Symbol	
DI	DROP INLET (Level = 5, Color = 6, Weight =0)	Graphic	Symbol	
DIAMND	HOV DIAMOND SYMBOL (Level = 3, Color = 4, Weight =0)	Graphic	Symbol	
DRVWY1	FOR CURB ANN GUTTER UCM	Point	Symbol	
DRVWY2	FOR CURB ANN GUTTER UCM	Point	Symbol	
EL	ELECTROLIER (Level = 5, Color = 6, Weight =0)	Graphic	Symbol	
ELT	ELECTROLIER TERMINATER (Level = 5, Color = 6, Weight =0)	Graphic	Symbol	


<b>PHOTO</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
FH	FIRE HYDRANT (Level = 5, Color = 6, Weight =0)	Graphic	Symbol	
HC	HORIZONTAL CONTROL	Point	Symbol	
HVC	HORIZ N VERT CNTRL	Point	Symbol	
LTA	LEFT TURN ARROW (Level = 3, Color = 4, Weight =0)	Graphic	Symbol	
MAPACC	PHOTO MAP ACCURACY (Level = 10, Color = 0, Wt =1,2)	Graphic	Symbol	
MH	MANHOLE (Level = 5, Color = 6, Weight =0)	Graphic	Symbol	
MRSH	MARSH OR SWAMP (Level = 4, Color = 2, Weight =0)	Graphic	Symbol	
NA	NORTH ARROW (Level = 10, Color = 0-2, Weight =1) <b>This north arrow is not to be used for PS&amp;E, only for photo mapping</b>	Graphic	Symbol	
PC	AERIAL PHOTO CENTER	Point	Symbol	
POLE	SOLID POLE	Point	Symbol	




<b>PHOTO</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
PP	POWER POLE (Level = 5, Color = 6, Weight =0)	Graphic	Symbol	
RDI	ROUND DROP INLET (Level = 5, Color = 6, Weight =0)	Graphic	Symbol	
SIGN1	SINGLE POST SIGN (Level = 2, Color = 4, Weight =0)	Graphic	Symbol	
SIGN2	DOUBLE POST SIGN (Level = 2, Color = 4, Weight =0)	Graphic	Symbol	
SP	STAND PIPE AND ETC	Point	Symbol	
TB	TITLE BLOCK 0904 (Level = 10, Color = 0, Wt =1,2)	Graphic	Symbol	
TBE	TITLE BLOCK ENGLISH (Level = 10, Color = 0, Wt = 1,2)	Graphic	Note	
TIC	GRID TIC	Point	Symbol	
TR4	SMALL DIAMETER TREE (Level = 4, Color = 2, Weight =0)	Graphic	Symbol	
TR8	LARGE DIAMETER TREE (Level = 4, Color = 2, Weight =0)	Graphic	Symbol	




<b>PHOTO</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
TRNTOW	EXIST TRANS TOWER SYMBOL (Level = 5, Color = 6, Weight =0)	Graphic	Symbol	
VC	VERTICAL CONTROL	Point	Symbol	
WIRE	FOR TRANSMISSION TOWER (Level = 5, Color = 6, Weight =0)	Graphic	Line Pattern	






<b>PROJECT PLANS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
001AAA	VERSION AUGUST 1, 2016 (Level = 10, Color = 10, Weight =1)	Graphic	Version	CTCELLIB AUGUST 01, 2016
AAUTIL	EXISTING UTILITY CHART DESIGNATIONS (Level = 5, Co = 0-3,5-7, Wt =1,4)	Graphic	Notes	
ABANDN	SYMBOL FOR ABANDON UTILITY (Level = 40, Color = 0, Weight =1)	Graphic	Symbol	
ADDSHT	ADD SHEETS TO ASBUILTS (Level = 62, Color = 3, Wt =1)	Graphic	Notes	NEW NUMBER OF TOTAL SHEETS- SEE INDEX OF PLANS FOR ADDED/REVISED SHEET NUMBERS
ADDSYM	ADDENDUM SYMBOL (Level = 10, Color = 3, Wt =0,3)	Graphic	Symbol	
ADNOTE	ADDENDUM NOTE (Level = 10, Color = 3, Wt =0,3)	Graphic	Notes	
AHT	ARROW HEAD TERMINATOR	Point	Symbol	
ASAWRD	REPLACES SIGNATURE ON DGN WHEN DOING A CONTRACT CHANGE ORDER (Level = 63, Color = 3, Wt =1,2)	Graphic	Notes	
ASBLT2	ASBUILT STAMP WITH CORRECTIONS (Level = 62, Color = 3, Wt =0-2)	Graphic	Notes	
ASBLT3	TITLE SHEET STAMP RE SIGNATURE (Level = 62, Color = 3, Wt =0-2)	Graphic	Notes	



<b>PROJECT PLANS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
ASBLT4	<b>OBSOLETE</b> No longer to be used	Graphic	Notes	
AVD	FOR ARCHIVED DGN FILES (Level = 61 Color = 4, Wt = 1,2)	Graphic	Notes	
BLANK	THIS SHEET INTENTIONALLY LEFT BLANK NOTE (Level = 10 Color = 3, Wt = 0)	Graphic	Notes	
BLOCKS	MASONRY BLK PATTERN	Point	Area Pattern	
BPLAN	BUILDING BORDER SHEET (Level = 10, Color = 0, Wt =0-3)	Graphic	Sheet	
BPLAN2	BUILDING BORDER_CONSULTANT (Level = 10 Color = 0, Wt =0-3)	Graphic	Sheet	
BRKLN	NON GEO BREAK LINE SYMBOL	Point	Symbol	
BTITLE	BUILDING TITLE SHEET (Level = 10, Color = 0,1,2, Wt =0-3)	Graphic	Sheet	
BTITL2	BUILDING TITLE_CONSULTANT2 (Level = 10, Color = 0,1,2, Wt =0-3)	Graphic	Sheet	
BTITL3	BUILDING TITLE_CONSULTANT3 (Level = 10, Color = 0,1,2, Wt =0-3)	Graphic	Sheet	

<b>PROJECT PLANS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
CAS	TABLE FOR CONSTRUCTION AREA SIGNS (Level = 46,60, Color = 0, Wt = 0,1,2)	Graphic	Table	
CESEAL	REGISTERED CIVIL ENGINEER STAMP (Level = 10, Color = 0, Wt = 0,2)	Graphic	Symbol	
CFBOT	BOTTOM CLIP FRAME (Level = 61, Color = 3, Weight = 2)	Graphic	Sheet	
CFFULL	FULL CLIP FRAME (Level = 61, Color = 3, Weight = 2)	Graphic	Sheet	
CFFUL2	FULL CLIP CONSULTANT (Level = 61, Color = 3, Weight = 2)	Graphic	Sheet	
CFTITL	TITLE SHEET CLIP FRAME (Level = 61, Color = 3, Weight = 2)	Graphic	Sheet	
CFTIT2	TITLE CLIP CONSULTANT2 (Level = 61, Color = 3, Weight = 2)	Graphic	Sheet	
CFTIT3	TITLE CLIP CONSULTANT3 (Level = 61, Color = 3, Weight = 2)	Graphic	Sheet	
CFTOP	TOP CLIP FRAME (Level = 61, Color = 3, Weight = 2)	Graphic	Sheet	
CFTOP2	TOP CLIP CONSULTANT (Level = 61, Color = 3, Weight = 2)	Graphic	Sheet	

<b>PROJECT PLANS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
CITY	CITY LIMITS (Level = 60, Color = 0, Weight = 1)	Graphic	Line Pattern	
CL	CENTERLINE TXT SYMBOL	Point	Symbol	
CLIM1	CLIMATE REGION ONLY (Level = 60, Color = 0, Weight = 1,2)	Graphic	Notes	
CLIM2	CLIMATE REGION ADDED TO EXISTING DESIGN DESIGNATION (Level = 60, Color = 0, Weight = 1)	Graphic	Notes	
CONCP	CONCRETE SYMBOL	Point	Area Pattern	
COUNTY	COUNTY LIMITS (Level = 60, Color = 0, Weight = 2)	Graphic	Line Pattern	
CTLOGO	CALTRANS LOGO (Level = 10, Color = 0, Weight = 1)	Graphic	Symbol	
CURVDA	TABLE FOR CURVE DATA INFORMATION (Lv=60, Co=0, Wt=0,1,2)	Graphic	Table	
DCIR	DRAINAGE UNIT CIRCLE (Level = 37, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
DDCLIM	DESIGN DESIGNATION WITH CLIMATE REGION (Level = 40,60, Color = 0, Weight = 1,2)	Graphic	Notes	

<b>PROJECT PLANS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
DIRFLO	DIR FLO ARROW SYMB	Point	Symbol	
DRNSYS	DRAINAGE SYSTEM NO	Point	Symbol	
DRNUNT	DRAINAGE UNIT	Point	Symbol	
DSN	DRAINAGE SYSTEM NUMBER (Level = 37, Color = 1,250, Weight = 1) (Masking)	Graphic	Symbol	
DTABLE	TABLE FOR DRAINAGE QUANTITIES (Level = 60, Color = 0,1, Weight = 0,1,2)	Graphic	Table	
EXPIPE	EXISTING 36 TO 72 INCH PIPE (Level = 36, Color = 1, Weight = 1)	Graphic	Line Pattern	
FHWA	FHWA SYMBOL (Level = 10, Color = 0,1, Weight = 1)	Graphic	Symbol	
FLOWLN	DRAINAGE FLOW LINE PATTERN	Point	Line Pattern	
FOREST	FOREST BOUNDARY LIMITS (Level = 60, Color = 0, Weight = 1)	Graphic	Line Pattern	
FREQST	FULL REQUEST LABEL (Level = 10, Color = 0, Weight = 0)	Graphic	Symbol	






<b>PROJECT PLANS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
FULPLN	FULL PLAN SHEET (Level = 10, Color = 0, Wt = 0-3)	Graphic	Sheet	
FUPLN2	FULL PLAN CONSULTANT (Level = 10, Color = 0, Wt = 0-3)	Graphic	Sheet	
GPLAN	GEOLOGIST BORDER SHEET (Level = 10, Color = 0, Wt = 0-3)	Graphic	Sheet	
GPLAN2	GEOLOGIST BORDER CONSULTANT (Level = 10, Color = 0, Wt = 0-3)	Graphic	Sheet	
GRID1	GRID WITH 50 FOOT SPACING (Lv= 9,10,11, Co= 0,2,3, Wt= 0-2)	Graphic	Sheet	
GRID1C	GRID 50FT SP CONSULTANT (Lv= 9,10,11, Co= 0,2,3, Wt= 0-2)	Graphic	Sheet	
GRID2	GRID MINOR VERTICAL AND HORIZONTAL (Lv= 9,10,11, Co= 0,2,3, Wt= 0-2)	Graphic	Sheet	
GRID2C	MINOR VER AND HOR CONSULTANT (Lv= 9,10,11, Co= 0,2,3, Wt= 0-2)	Graphic	Sheet	
GRID3	DRAINAGE GRID 50 SPACING (Lv=9,10,11, Co=0,2,3, Wt=0,1,3)	Graphic	Sheet	
GRID4	DRAINAGE GRID WITH MINOR (Lv=9,10,11, Co=0,2,3, Wt=0,1,3)	Graphic	Sheet	







<b>PROJECT PLANS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
INDEX	INDEX OF PLANS TEMPLATE (Level = 10, Color = 0, Weight = 1)	Graphic	Notes	
LOC1	TABLE FOR LOCATIONS OF CONSTRUCTION – TITLE SHEET (Lv = 60, Co = 0, Weight = 0,1,2)	Graphic	Table	
LOC2	TABLE FOR LOCATIONS OF CONSTRUCTION – SEPARATE SHEET (Lv = 60, Co = 0, Weight = 0,1,2)	Graphic	Table	
LOCARR	KEY MAP LOCATION ARROW SYMBOL	Point	Symbol	
LPIPE	NEW 36 TO 72 INCH PIPE (Level = 36, Color = 1, Weight = 1)	Graphic	Line Pattern	
MATCH	MATCH LINE (Level = 10, Color = 0, Weight = 1)	Graphic	Line Pattern	
NARR	NORTH ARROW - PROJECT PLANS (Level = 10, Color = 0, Weight = 1)	Graphic	Symbol	
NOTE1	<b>O B S O L E T E</b> <b>No longer to be used</b>	Graphic	Notes	
NOTE2	RIGHT OF WAY NOTE (Level = 23, Color = 0, Weight = 1,2)	Graphic	Notes	
NOTE3	NOT SEPARATE PAY ITEM, INFO ONLY (Level = 60, Color = 0, Weight = 1)	Graphic	Notes	











<b>PROJECT PLANS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
NOTE4	APPROVED FOR DRAINAGE ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	<i>APPROVED FOR DRAINAGE MARK ONLY</i>
NOTE5	APPROVED FOR SANITARY SEWER ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	<i>APPROVED FOR SANITARY SEWER MARK ONLY</i>
NOTE6	<b>OBSOLETE</b> <b>No longer to be used</b>	Graphic	Notes	<i>APPROVED FOR UTILITY MARK ONLY</i>
NOTE7	APPROVED FOR STAGE CONSTRUCTION ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	<i>APPROVED FOR STAGE CONSTRUCTION MARK ONLY</i>
NOTE8	APPROVED FOR TRAFFIC HANDLING ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	<i>APPROVED FOR TRAFFIC HANDLING MARK ONLY</i>
NOTE9	APPROVED FOR DETOUR CONSTRUCTION WORK ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	<i>APPROVED FOR DETOUR CONSTRUCTION MARK ONLY</i>
NOTE10	APPROVED FOR PAVEMENT DELINEATION ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	notes	<i>APPROVED FOR PAVEMENT DELINEATION MARK ONLY</i>
NOTE11	APPROVED FOR PAVEMENT DELINEATION SIGN ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	notes	<i>APPROVED FOR PAVEMENT DELINEATION SIGN MARK ONLY</i>
NOTE12	APPROVED FOR SIGN WORK ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	notes	<i>APPROVED FOR SIGN WORK ONLY</i>
NOTE13	APPROVED FOR RETAINING WALL ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	notes	<i>APPROVED FOR RETAINING WALL MARK ONLY</i>

<b>PROJECT PLANS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
NOTE14	APPROVED FOR SOUND WALL ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	notes	<i>APPROVED FOR SOUND WALL WORK ONLY</i>
NOTE15	APPROVED FOR PLANTING ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	<i>APPROVED FOR PLANTING WORK ONLY</i>
NOTE16	APPROVED FOR IRRIGATION ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	<i>APPROVED FOR IRRIGATION WORK ONLY</i>
NOTE17	APPROVED FOR ELECTRICAL ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	<i>APPROVED FOR ELECTRICAL WORK ONLY</i>
NOTE18	APPROVED FOR WATER POLLUTION CONTROL ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	<i>APPROVED FOR WATER POLLUTION CONTROL WORK ONLY</i>
NOTE19	APPROVED FOR EROSION CONTROL ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	<i>APPROVED FOR EROSION CONTROL WORK ONLY</i>
NOTE20	APPROVED FOR CONTOUR GRADING WORK ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	<i>APPROVED FOR CONTOUR GRADING WORK ONLY</i>
NOTE21	APPROVED FOR EDGE DRAIN ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	<i>APPROVED FOR EDGE DRAIN WORK ONLY</i>
NOTE22	APPROVED FOR UNDERDRAIN ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	<i>APPROVED FOR UNDERDRAIN WORK ONLY</i>
NOTE23	<b>OBSOLETE</b> <b>No longer to be used</b>	Graphic	Notes	<i>APPROVED FOR SEWERAGE AND UTILITY WORK ONLY</i>




<b>PROJECT PLANS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
NOTE24	APPROVED FOR DRAINAGE AND CONTOUR ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	
NOTE25	THIS PLAN TO BE USED FOR UTILITY INFORMATION ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	
NOTE26	<b>OBSOLETE</b> <b>No longer to be used</b>	Graphic	Notes	
NOTE27	APPROVED FOR HORZ DRAIN WORK ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	
NOTE28	APPROVED FOR UNDERDRAIN AND HORIZONTAL WORK ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	
NOTE29	APPROVED FOR STAGE CONST AND TRAFFIC HANDLING WORK ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	
NOTE30	APPROVED FOR CONST AREA SIGN WORK ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	
NOTE31	APPROVED FOR MOTORIST INFO WORK ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	
NOTE32	PROJECT CONTROL AND MONUMENT DATA NOTE (Level = 23, Color = 0, Weight = 1,2)	Graphic	Notes	
NOTE33	PROJECT CONTROL NOTE (Level = 23, Color = 0, Weight = 1,2)	Graphic	Notes	



<b>PROJECT PLANS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
NOTE34	INDETERMINATE RW NOTE (Level = 23, Color = 0, Weight = 1,2)	Graphic	Notes	
NOTE35	APPROVED FOR WATER POLLUTION COTROL WORK ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	
NOTE36	APPROVED FOR PROJECT CONTROL INFORMATION ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	
NOTE37	APPROVED FOR HARDSCAPE WORK ONLY (Level = 10, Color = 0, Weight = 2)	Graphic	Notes	
NOTE38	<b>O B S O L E T E</b> <b>No longer to be used</b>	Graphic	Notes	
NOTE39	<b>O B S O L E T E</b> <b>No longer to be used</b>	Graphic	Notes	
NOTE40	PAVEMENT STRUCTURE TOLERANCE NOTE (Level =23, Color = 0, Weight = 1,2)	Graphic	Notes	
NOTE41	SUPERELEVATIONS SHOWN ON SUPERELEVATION DIAGRAMS NOTE (Level =23, Color = 0, Weight = 1,2)	Graphic	Notes	
OG	ORIGINAL GROUND SYMBOL	Point	Line Pattern	
PARROW	PROFILE GRID ARROW (Level = 60, Color = 0, Weight = 1)	Graphic	Symbol	




<b>PROJECT PLANS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
PDTABL	QUANTITY TABLE FOR PAVEMENT DELINEATION (Lv=60, Co=0, Wt=0,1,2)	Graphic	Table	
PLNPRO	PLAN PROFILE GRID (Lv= 9,10,11, Co= 0,2,3, Wt= 0,1,3)	Graphic	Sheet	
PLPR20	PLAN PROFILE GRID 20 SCALE (Lv= 9,10,11, Co= 0,2,3, Wt= 0,1,3)	Graphic	Sheet	
PLP100	PLAN PROFILE GRID 100 SCALE (Lv= 9,10,11, Co= 0,2,3, Wt= 0,1,3)	Graphic	Sheet	
PLSYM	POSITIVE LOCATION SYMBOL	Point	Symbol	
PLTAB1	TABLE (MIN) FOR POSITIVE LOCATION INFORMATION (Lv=60, Co=0, Wt=0,1,2)	Graphic	Table	
PLTAB2	TABLE (MAX) FOR POSITIVE LOCATION INFORMATION (Lv=60, Co=0, Wt=0,1,2)	Graphic	Table	
PRFL20	FULL PROFILE GRID 20 SCALE (Lv= 9,10,11, Co= 0,2,3, Wt= 0-3)	Graphic	Sheet	
PRF10S	GRID FOR STACKED PROFILES – 100 SCALE (Lv= 9,10,11, Co= 0,2,3, Wt= 0-2)	Graphic	Sheet	
PRF20S	GRID FOR STACKED PROFILES – 20 SCALE (Lv= 9,10,11, Co= 0,2,3, Wt= 0-2)	Graphic	Sheet	



<b>PROJECT PLANS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
PRF100	FULL PROFILE GRID 100 SCALE (Lv= 9,10,11, Co= 0,2,3, Wt= 0-3)	Graphic	Sheet	
PROFIL	FULL PROFILE GRID (Lv= 9,10,11, Co= 0,2,3, Wt= 0-2)	Graphic	Sheet	
PROFLS	GRID FOR STACKED PROFILES - 50 SCALE (Lv= 9,10,11, Co= 0,2,3, Wt= 0-2)	Graphic	Sheet	
PROFL2	PROFILE GRID CONSULTANT (Lv= 9,10,11, Co= 0,2,3, Wt= 0-3)	Graphic	Sheet	
PROFL3	PROFILE CONSULTANT 100 SCALE (Lv= 9,10,11, Co= 0,2,3, Wt= 0-3)	Graphic	Sheet	
PROFL4	PROFILE CONSULTANT 20 SCALE (Lv= 9,10,11, Co= 0,2,3, Wt= 0-3)	Graphic	Sheet	
PROFL5	CONSULTANT GRID FOR STACKED PROFILES – 50 SCALE (Lv= 9,10,11, Co= 0,2,3, Wt= 0-3)	Graphic	Sheet	
PROFL6	CONSULTANT GRID FOR STACKED PROFILES – 100 SCALE (Lv= 9,10,11, Co= 0,2,3, Wt= 0-3)	Graphic	Sheet	
PROFL7	CONSULTANT GRID FOR STACKED PROFILES – 20 SCALE (Lv= 9,10,11, Co= 0,2,3, Wt= 0-3)	Graphic	Sheet	
QSHEET	TEMPLATE FOR Q TABLE (Level = 60, Color = 0, Wt = 0,1)	Graphic	Table	







<b>PROJECT PLANS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
ROCK	ROCK SYMBOL	Point	Area Pattern	
SAND	SAND SYMBOL	Point	Area Pattern	
SECHDL	SECTION SYMBOL - HORIZONTAL DOWN, LEFT SIDE (Level = 23, Color = 0, Weight = 2)	Graphic	Symbol	
SECHDR	SECTION SYMBOL - HORIZONTAL DOWN, RIGHT SIDE (Level = 23, Color = 0, Weight = 2)	Graphic	Symbol	
SECHUL	SECTION SYMBOL - HORIZONTAL UP, LEFT SIDE (Level = 23, Color = 0, Weight = 2)	Graphic	Symbol	
SECHUR	SECTION SYMBOL - HORIZONTAL UP, RIGHT SIDE (Level = 23, Color = 0, Weight = 2)	Graphic	Symbol	
SECVLB	SECTION SYMBOL - VERTICAL LEFT, BOTTOM SIDE (Level = 23, Color = 0, Weight = 2)	Graphic	Symbol	
SECVLT	SECTION SYMBOL - VERTICAL LEFT, TOP SIDE (Level = 23, Color = 0, Weight = 2)	Graphic	Symbol	
SECVRB	SECTION SYMBOL - VERTICAL RIGHT, BOTTOM SIDE (Level = 23, Color = 0, Weight = 2)	Graphic	Symbol	
SECVRT	SECTION SYMBOL - VERTICAL RIGHT, TOP SIDE (Level = 23, Color = 0, Weight = 2)	Graphic	Symbol	



<b>PROJECT PLANS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
SL	STATION LINE TEXT SYMBOL	Point	Symbol	
SN	1 DIGIT SHEET NUMBER (Level = 10, Color = 0, Weight = 2)	Graphic	Symbol	
SN2	2 DIGIT SHEET NUMBER (Level = 10, Color = 0, Weight = 2)	Graphic	Symbol	
SN3	3 DIGIT SHEET NUMBER (Level = 10, Color = 0, Weight = 2)	Graphic	Symbol	
SPIPE	PIPE 36 INCH OR LESS (Level = 36, Color = 1, Weight = 3)	Graphic	Line Pattern	
SRPAR1	BEG END STRIP ARROW 1 (Level = 43, Color = 3, Weight = 1)	Graphic	Symbol	
SRPAR2	BEG END STRIP ARROW 2 (Level = 43, Color = 3, Weight = 1)	Graphic	Symbol	
STATE	STATE BOUNDARY LIMITS (Level = 60, Color = 0, Weight = 3)	Graphic	Line Pattern	
T1ARR	PAINT PAVEMENT ARROW TYPE 1	Point	Symbol	
T2ARR	PAINT PAVEMENT ARROW TYPE 2	Point	Symbol	




<b>PROJECT PLANS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
T3ARR	PAINT PAVEMENT ARROW TYPE 3	Point	Symbol	
T4ARR	PAINT PAVEMENT ARROW TYPE 4	Point	Symbol	
T5ARR	PAINT PAVEMENT ARROW TYPE 5	Point	Symbol	
T6ARR	PAINT PAVEMENT ARROW TYPE 6	Point	Symbol	
TILDE	SQUIGGLY TERMINATOR	Point	Symbol	
TIME	TIME DATE STAMP (Level = 10, Color = 0, Weight = 0)	Graphic	Symbol	
TIME2	TIME DATA STAMP FULPLN (Level = 10, Color = 0, Weight = 0,1)	Graphic	Sheet	
TITLE	TITLE SHEET - ROADWAY (Level = 10, Color = 0,1,2, Wt =0-3)	Graphic	Sheet	
TITLE2	TITLE CONSULTANT 2 (Level = 10, Color = 0,1,2, Wt =0-3)	Graphic	Sheet	
TITLE3	TITLE CONSULTANT 3 (Level = 10, Color = 0,1,2, Wt =0-3)	Graphic	Sheet	




<b>PROJECT PLANS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
TRF45A	TRAFFIC DIRECTION 45 DEGREE ARROW	Point	Symbol	
TRFALR	TRAFFIC DIRECTION L AND R ARROW	Point	Symbol	
TRFDI	TRAFFIC DIRECTION ARROW	Point	Symbol	
WHCR	WHEELCHAIR RAMP	Point	Symbol	




<b>ROADWAY</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
A2_6	CURB TYPE A2_6 (Level = 21, Color = 0, Wt = 0,1)	Graphic	Line Pattern	
A2_8	CURB TYPE A2_8 (Level = 21, Color = 0, Wt = 0,1)	Graphic	Line Pattern	
AXIS	SUPER AXIS OF ROTATION (Level = 60, Color = 0, Weight = 1)	Graphic	Line Pattern	
B11	CRASH CUSHION B11 (Level = 22, Color = 0, Weight = 1)	Graphic	Symbol	
B14	CRASH CUSHION B14 (Level = 22, Color = 0, Weight = 1)	Graphic	Symbol	
B2CURB	CURB TYPE B2 (Level = 21, Color = 0, Wt = 0,1)	Graphic	Line Pattern	
B4CURB	CURB TYPE B4 (Level = 21, Color = 0, Wt = 0,1)	Graphic	Line Pattern	
BAC	BEGIN ACCESS CONTROL NOTE (Level = 3, Color = 6, Weight = 1)	Graphic	Symbol	BEGIN ACCESS CONTROL
CALCO1	CALIFORNIA QUARTER CORNER	Point	Symbol	
CMP	NON GEOGRAPHIC CORRUGATED METAL PIPE (Level = 60, Color = 0, Weight = 1)	Graphic	Line Pattern	



<b>ROADWAY</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
CONCBP	NEW CONCRETE BARRIER PATTERN (Level = 22, Color = 0, Weight = 1)	Graphic	Line Pattern	
DBLBAR	DOUBLE BEAM BARRIER PATTERN (Level = 1, Color = 4, Weight = 0)	Graphic	Line Pattern	
EAC	END ACCESS CONTROL NOTE (Level = 33, Color = 6, Weight = 1)	Graphic	Symbol	END ACCESS CONTROL
EDGEP	EDGE OF ASPHALT OR TRAVELLED WAY	Point	Line Pattern	
ELECTR	ELECTRIC UTILITY PATTERN (Level = 40, Color = 3, Weight = 1)	Graphic	Line Pattern	
EXE	EXISTING UNDER GROUND ELECTRICAL (Level = 5, Color = 3, Weight = 1)	Graphic	Line Pattern	
EXG	EXISTING PETROLEUM GAS (Level = 5, Color = 7, Weight = 1)	Graphic	Line Pattern	
EXGRP	EXISTING GUARDRAIL PATTERN	Point	Line Pattern	
EXNG	EXISTING NATURAL GAS (Level = 5, Color = 2, Weight = 1)	Graphic	Line Pattern	
EXO	EXISTING OIL (Level = 5, Color = 7, Weight = 1)	Graphic	Line Pattern	






<b>ROADWAY</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
EXS	EXISTING SEWER (Level = 5, Color = 6, Weight = 1)	Graphic	Line Pattern	
EXSTEM	EXISTING STEAM (Level = 40, Color = 2, Weight = 1)	Graphic	Line Pattern	
EXSTMD	EXISTING STORM DRAIN (Level = 40, Color = 1, Weight = 1)	Graphic	Line Pattern	
EXT	EXISTING TELEPHONE (Level = 5, Color = 5, Weight = 1)	Graphic	Line Pattern	
EXTELC	EXISTING TELECOMMUNICATION (Level = 40, Color = 5, Weight = 1)	Graphic	Line Pattern	
EXTV	EXISTING TELEVISION (Level = 5, Color = 5, Weight = 1)	Graphic	Line Pattern	
EXW	EXISTING WATER (Level = 5, Color = 1, Weight = 1)	Graphic	Line Pattern	
FDI	DI FOR VARIOUS LEVELS	Point	Symbol	
FENP	FENCE PATTERN (Level = 2, Color = 4, Weight = 0)	Graphic	Line Pattern	
FMH	MANHOLE COVER FOR VARIOUS LEVELS	Point	Symbol	

<b>ROADWAY</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
FMONU	MONUMENT FOR VARIOUS LEVELS	Point	Symbol	
FNDCOR	FND QUAR CORNER EX_AS_DESC	Point	Symbol	
FNDMON	MONUMENT EX_AS_DESCRIBED	Point	Symbol	
GASOLN	GASOLINE UTILITY PATTERN (Level = 40, Color = 2, Weight = 1)	Graphic	Line Pattern	
GDRP	GUARDRAIL PATTERN (Level = 2, Color = 4, Weight = 0)	Graphic	Line Pattern	
HEDGE P	HEDGE PATTERN (Level = 4, Color = 2, Weight = 0)	Graphic	Line Pattern	
KRAIL	TEMPORARY RAIL - TYPE K 50 SCALE (Level = 22, Color = 0, Weight = 1)	Graphic	Line Pattern	
KRAIL2	TEMPORARY RAIL -TYPE K 20 SCALE (Level = 22, Color = 0, Weight = 1)	Graphic	Line Pattern	
LSP	LANE STRIPE PATTERN	Point	Line Pattern	
MBGR	NEW GUARDRAIL PATTERN (Level = 22, Color = 0, Weight = 1)	Graphic	Line Pattern	

<b>ROADWAY</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
NATGAP	NATURAL GAS UTIL PATTERN (Level = 40, Color = 2, Weight = 1)	Graphic	Line Pattern	
NWALLP	NEW WALL PATTERN (Level = 22, Color = 0, Weight = 1)	Graphic	Line Pattern	
OBJMAR	SYMBOL FOR DELINEATOR OR OBJECT MARKER (Level = 45, Color = 3, Weight = 1)	Graphic	Symbol	
OHS1	OVERHEAD SIGN - 1 POST (Level = 22, Color = 0, Weight = 1)	Graphic	Symbol	
OHS2	OVERHEAD SIGN - 2 POST (Level = 22, Color = 0, Weight = 1)	Graphic	Symbol	
OHSIGN	SYMBOL FOR OVERHEAD SIGN NUMBER (Level = 45, Color = 3,250, Wt = 1) (Mask)	Graphic	Symbol	
OILP	OIL UTIL PATTERN (Level = 40, Color = 7, Weight = 1)	Graphic	Line Pattern	
PI	POINT OF INTERSECTION SYMBOL	Point	Symbol	
PI2	POINT OF INTERSECTION SYMBOL WITH LABEL	Point	Symbol	
POINT	POINT SYMBOL	Point	Symbol	










<b>ROADWAY</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
RR10P	1000 SCALE RAILROAD (Level = 2, Color = 4, Weight = 0)	Graphic	Line Pattern	
RWACC	<b>O B S O L E T E</b> <b>No longer to be used</b>	Point	Line Pattern	
SETUP	DGN FILE SETUP POINT (Level = 10, Color = 0, Weight = 1)	Graphic	Symbol	
SEWERP	SEWER UTILITY PATTERN (Level = 40, Color = 6, Weight = 1)	Graphic	Line Pattern	
SGN1P	SIGN WITH 1 POST	Point	Symbol	
SGN2P	SIGN WITH 2 POSTS	Point	Symbol	
SGN3P	EXISTING SIGN WITH 1 POST	Point	Symbol	
SGN4P	EXISTING SIGN WITH 2 POST	Point	Symbol	
SGNATT	ROADSIDE SIGN ATTACHED	Point	Symbol	
SIGN4S	SYMBOL FOR SIGN ( 4 LETTERS ) (Level = 45, Color = 3,250, Weight = 1) (Masking)	Graphic	Symbol	











<b>ROADWAY</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
SIGN5S	SYMBOL FOR SIGN ( 5 LETTERS ) (Level = 45, Color = 3,250, Weight = 1) (Masking)	Graphic	Symbol	
SIGN6S	SYMBOL FOR SIGN ( 6 LETTERS ) (Level = 45, Color = 3,250, Weight = 1) (Masking)	Graphic	Symbol	
STEAM	STEAM UTILITY PATTERN (Level = 40, Color = 2, Weight = 1)	Graphic	Line Pattern	— - - ST — - -
STORMD	STORM DRAIN UTILITY PATTERN (Level = 40, Color = 1, Weight = 1)	Graphic	Line Pattern	— - - - SD — - -
STRPS2	SYMBOL FOR COMBO STRIPING (Level = 44, Color = 3,250, Weight = 1) (Masking)	Graphic	Symbol	
STRPSY	SYMBOL FOR STRIPING (Level = 44, Color = 3,250, Weight = 1) (Masking)	Graphic	Symbol	
TB11	TEMPORARY ARRAY TB11 (Level = 22, Color = 0, Weight = 1)	Graphic	Symbol	
TB14	TEMPORARY ARRAY TB14 (Level = 22, Color = 0, Weight = 1)	Graphic	Symbol	
TELCOM	TELECOMMUNICATION UTILITY PATTERN (Level = 40, Color = 5, Weight = 1)	Graphic	Line Pattern	— - - - TC — - -
TELEP	TELEPHONE UTILITY PATTERN (Level = 40, Color = 5, Weight = 1)	Graphic	Line Pattern	— - - - T — - - -








<b>ROADWAY</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
TERML	GUARDRAIL TERMINATOR - LEFT	Point	Symbol	
TERMR	GUARDRAIL TERMINATOR - RIGHT	Point	Symbol	
TKPRO1	KRAIL PROFILE 1 (Level = 22, Color = 0, Weight = 1)	Graphic	Symbol	
TKPRO2	KRAIL PROFILE 2 (Level = 22, Color = 0, Weight = 1)	Graphic	Symbol	
TRAST2	TRAFFIC STRIP COMBO DETAIL SYMBOL (Level = 43, Color = 3, Weight = 1)	Graphic	Symbol	
TRASTR	TRAFFIC STRIPE DETAIL SYMBOL (Level = 44, Color = 3, Weight = 1)	Graphic	Symbol	
TREEP	HIGH TREES PATTERN (Level = 4, Color = 2, Weight = 0)	Graphic	Line Pattern	
TS11	TEMPORARY ARRAY TS11 (Level = 22, Color = 0, Weight = 1)	Graphic	Symbol	
TS14	TEMPORARY ARRAY TS14 (Level = 22, Color = 0, Weight = 1)	Graphic	Symbol	
TU11	TEMPORARY ARRAY TU11 (Level = 22, Color = 0, Weight = 1)	Graphic	Symbol	










<b>ROADWAY</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
TU14	TEMPORARY ARRAY TU14 (Level = 22, Color = 0, Weight = 1)	Graphic	Symbol	
TU17	TEMPORARY ARRAY TU17 (Level = 22, Color = 0, Weight = 1)	Graphic	Symbol	
TU21	TEMPORARY ARRAY TU21 (Level = 22, Color = 0, Weight = 1)	Graphic	Symbol	
TVP	TELEVISION UTIL PATTERN (Level = 40, Color = 5, Weight = 1)	Graphic	Line Pattern	-----TV-----
TYPE_E	CURB - TYPE E (Level = 21, Color = 0, Wt = 0,1)	Graphic	Line Pattern	===== =====
U11	CRASH CUSHION U11 (Level = 22, Color = 0, Weight = 1)	Graphic	Symbol	
U14	CRASH CUSHION U14 (Level = 22, Color = 0, Weight = 1)	Graphic	Symbol	
U16	CRASH CUSHION U16 (Level = 22, Color = 0, Weight = 1)	Graphic	Symbol	
U21	CRASH CUSHION U21 (Level = 22, Color = 0, Weight = 1)	Graphic	Symbol	
VPI	VERTICAL POINT OF INTERSECTION SYMBOL	Point	Symbol	VPI 







<b>ROADWAY</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
WALLP	RETAINING WALL PATTERN (Level = 2, Color = 4, Weight = 2)	Graphic	Line Pattern	
WATERP	WATER UTILITY PATTERN (Level = 40, Color = 1, Weight = 1)	Graphic	Line Pattern	
WATP	WATER PATTERN (Level = 5, Color = 1, Weight = 0)	Graphic	Line Pattern	
WFP	RETAINING WALL WITH FENCE (Level = 2, Color = 4, Weight = 0)	Graphic	Line Pattern	
XCEL	X SYMBOL	Point	Symbol	








<b>SURVEYS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
BDRN	BRIDGE DECK DRAIN (Level = 3, Color = 4, Weight = 1)	Graphic	Symbol	
BLC	BLOCK CORNER (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
BUAO	BRIDGE UTILITY ACCESS OPEN (Level = 3, Color = 4, Weight = 1)	Graphic	Symbol	
BUS	BUS STOP (Level = 2, Color = 4, Weight = 1)	Graphic	Symbol	
CAB	CABINET UTILITY (Level = 5, Color = 6, Weight = 1)	Graphic	Symbol	
CALL	CALLBOX (Level = 5, Color = 5, Weight = 0)	Graphic	Symbol	
CCI	CRASH CUSHION INDIVIDUAL (Level = 2, Color = 4, Weight = 1)	Graphic	Symbol	
CLH	CENTER LINE MONUMENT H (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	
CLHV	CENTER LINE MONUMENT H V (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	
CLNR	STREET CL FD NO RECORD (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	









<b>SURVEYS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
CLO	CLEAN OUT (Level = 6, Color = 6, Weight = 1)	Graphic	Symbol	
CLPC	STREET CL PC (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
CLPT	STREET CL PT (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
COL	BENT COLUMN PIER (Level = 3, Color = 4, Weight = 1)	Graphic	Symbol	
CPCC	STREET CL PCC (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
CPI	STREET CL PI (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
CPOC	STREET CL POC (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
CPOT	STREET CL POT (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
CPRC	STREET CL PCC (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
CTRL	GENERIC CONTROL PT (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	








<b>SURVEYS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
CUVT	CULVERT TOP ELEVATION (Level = 6, Color = 1, Weight = 0)	Graphic	Symbol	
DICO	DRAIN INLET CURB OPEN - NO GRATE (Level = 6, Color = 1, Weight = 0)	Graphic	Symbol	
DIRO	DRAIN INLET - ROUND (Level = 6, Color = 1, Weight = 1)	Graphic	Symbol	
DIS	DRAIN INLET - RECTANGULAR SURVEYS (Level = 6, Color = 1, Weight = 0)	Graphic	Symbol	
DISD	DRAIN INLET - SIDE (Level = 6, Color = 1, Weight = 0)	Graphic	Symbol	
EDC	DRAIN EDGE CLEANOUT (Level = 6, Color = 1, Weight = 1)	Graphic	Symbol	
EDO	DRAIN EDGE OUTLET (Level = 6, Color = 1, Weight = 1)	Graphic	Symbol	
EDV	DRAIN EDGE VENT (Level = 6, Color = 1, Weight = 1)	Graphic	Symbol	
ELMH	ELECTRICAL MANHOLE (Level = 5, Color = 3, Weight = 0)	Graphic	Symbol	
ELS	ELECTROLIER STREET LIGHT (Level = 5, Color = 6, Weight = 0)	Graphic	Symbol	









<b>SURVEYS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
EM	ELECTRIC METER (Level = 5, Color = 3, Weight = 1)	Graphic	Symbol	
FDNR	FOUND POINT - NO RECORD (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
FDPT	GENERIC POINT OWNERSHIP LINE (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
FDR	FOUND POINT - RECORD (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
FES	FLARED END SECTION (Level = 6, Color = 1, Weight = 1)	Graphic	Symbol	
FHS	FIRE HYDRANT SURVEYS (Level = 5, Color = 1, Weight = 0)	Graphic	Symbol	
FP	FLAG POLE (Level = 2, Color = 4, Weight = 1)	Graphic	Symbol	
FRLC	FRAC LOT CORNER (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
GF	GATE POST - FREE END (Level = 2, Color = 4, Weight = 1)	Graphic	Symbol	
GH	GATE POST - HINGE END (Level = 2, Color = 4, Weight = 1)	Graphic	Symbol	







<b>SURVEYS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
GM	GAS METER (Level = 5, Color = 6, Weight = 1)	Graphic	Symbol	
GUY	GUY ANCHOR (Level = 5, Color = 6, Weight = 1)	Graphic	Symbol	
GVS	GAS VALVE (Level = 5, Color = 6, Weight = 1)	Graphic	Symbol	
HB	HOSE BIB (Level = 5, Color = 1, Weight = 0)	Graphic	Symbol	
HORZ	HORIZONTAL DRAIN (Level = 6, Color = 1, Weight = 1)	Graphic	Symbol	
HWAT	HIGH WATER MARK (Level = 6, Color = 1, Weight = 0)	Graphic	Symbol	
HYDRP	GENERIC HYDRO POINT (Level = 6, Color = 1, Weight = 1)	Graphic	Symbol	
INTT	ORCHARD TREE INTERIOR (Level = 4, Color = 2, Weight = 1)	Graphic	Symbol	
IRRV	VALVE IRRIGATION (Level = 6, Color = 1, Weight = 1)	Graphic	Symbol	
LOCT	SLIDE MONITORING (Level = 4, Color = 2, Weight = 0)	Graphic	Symbol	

<b>SURVEYS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
LP	LAMP POST (Level = 5, Color = 6, Weight = 1)	Graphic	Symbol	
LTC	LOT CORNER (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
MANP	GENERIC MAN MADE FEATURE (Level = 2, Color = 4, Weight = 1)	Graphic	Symbol	
MARK	GUIDE POST MARKER (Level = 3, Color = 4, Weight = 1)	Graphic	Symbol	
MB	MAIL BOX (Level = 2, Color = 4, Weight = 1)	Graphic	Symbol	
MBS	MAIL BOXES (Level = 2, Color = 4, Weight = 1)	Graphic	Symbol	
MC	MEANDER CORNER (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
OSH	OS LINE MONUMENT H (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	
OSHV	OS LINE MONUMENT H V (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	
PBS	PULLBOX (Level = 5, Color = 6, Weight = 1)	Graphic	Symbol	









<b>SURVEYS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
PED	PEDESTAL TELEPHONE (Level = 5, Color = 5, Weight = 1)	Graphic	Symbol	
PHH	PHOTO CONTROL MONUMENT - HORIZONTAL (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	
PHHV	PHOTO CONTROL MONUMENT HORIZONTAL & VERTICAL (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	
PHV	PHOTO CONTROL MONUMENT - VERTICAL (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	
PIPR	PROTECTIVE PIPE (Level = 2, Color = 4, Weight = 1)	Graphic	Symbol	
PLSO	PLS CORNER (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
PMC	PARCEL CORNER (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
PMH	PRIMARY CONTROL MONUMENT - HORIZONTAL (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	
PMHV	PRIMARY CONTROL MONUMENT- HORIZ. & VERT. (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	
PMV	PRIMARY CONTROL MONUMENT - VERTICAL (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	



<b>SURVEYS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
POINT0	POINT SYMBOL (Level = 72, Color = 0, Weight = 1)	Graphic	Symbol	
POINT1	POINT SYMBOL (Level = 72, Color = 1, Weight = 1)	Graphic	Symbol	
POINT2	POINT SYMBOL (Level = 72, Color = 2, Weight = 1)	Graphic	Symbol	
POINT4	POINT SYMBOL (Level = 72, Color = 4, Weight = 1)	Graphic	Symbol	
POINT6	POINT SYMBOL (Level = 72, Color = 6, Weight = 1)	Graphic	Symbol	
POLES	POLE SURVEYS (Level = 5, Color = 6, Weight = 1)	Graphic	Symbol	
PRH	PROJECT CONTROL MONUMENT - HORIZONTAL (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	
PRHV	PROJECT CONTROL MONUMENT - HORIZ. & VERT. (Level = 1, Color = 5, Weight = 1)	Graphic	Line Pattern	
PRVS	PROJECT CONTROL MONUMENT - VERTICAL (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	
PTEL	PUBLIC TELEPHONE (Level = 5, Color = 5, Weight = 1)	Graphic	Symbol	


<b>SURVEYS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
PUMP	PUMP (Level = 6, Color = 1, Wt = 0,1)	Graphic	Symbol	
QC	QUARTER CORNER (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
RCS	RANCHO CORNER (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
RDWYP	GENERIC POINT ROADWAY DELINEATION (Level = 3, Color = 4, Weight = 1)	Graphic	Symbol	
REFR	REFERENCE POINT (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	
RMRK	MARKERS (Level = 3, Color = 4, Weight = 1)	Graphic	Symbol	
RO	RANCHO (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
RRGA	RAILROAD GATE POST (Level = 2, Color = 4, Weight = 1)	Graphic	Symbol	
RRSG	RAILROAD SIGNAL (Level = 2, Color = 4, Weight = 1)	Graphic	Symbol	
RRSW	RAILROAD SWITCH (Level = 2, Color = 4, Weight = 1)	Graphic	Symbol	






<b>SURVEYS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
RWS	ROW MONUMENT (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
SCS	SECTION CORNER (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
SDMH	STORM DRAIN MANHOLE (Level = 5, Color = 1, Weight = 0)	Graphic	Symbol	
SINC	SIGN OVERHEAD CANTILEVER (Level = 2, Color = 4, Weight = 1)	Graphic	Symbol	
SINS	SIGN - SINGLE POST (Level = 2, Color = 4, Weight = 1)	Graphic	Symbol	
SLH	STATION LINE MONUMENT - HORIZONTAL (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	
SLHV	STATION LINE MONUMENT - HORIZONTAL & VERTICAL (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	
SPLAN	SURVEY BORDER SHEET (Level = 10, Color = 0 Weight = 0-3)	Graphic	Symbol	
SPLAN2	SURVEY BORDER SHEET 2 (Level = 10, Color = 0 Weight = 0-3)	Graphic	Symbol	
SPR	SPRINKLER HEAD (Level = 6, Color = 1, Weight = 1)	Graphic	Symbol	









<b>SURVEYS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
SPS	STAND PIPE SURVEYS (Level = 6, Color = 1, Weight = 1)	Graphic	Symbol	
SRCH	SEARCH COORDINATE (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	
SSEAL	PROFESSIONAL SURV STAMP (Level = 10, Color = 0, Weight = 0,1,2)	Graphic	Note	
SSMH	SANITARY SEWER MANHOLE (Level = 5, Color = 6, Weight = 0)	Graphic	Symbol	
SUH	SUPP CONTROL MONUMENT - HORIZONTAL (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	
SUHV	SUPP CONTROL MONUMENT - HORIZONTAL & VERTICAL (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	
SUV	SUPP CONTROL MONUMENT - VERTICAL (Level = 1, Color = 5, Weight = 1)	Graphic	Symbol	
TANK	TANK CENTER (Level = 2, Color = 4, Weight = 0)	Graphic	Symbol	
TC	TOWNSHIP CORNER (Level = 31, Color = 6, Weight = 1)	Graphic	Symbol	
TLMH	TELEPHONE MANHOLE (Level = 5, Color = 5, Weight = 0)	Graphic	Symbol	











<b>SURVEYS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
TRAN	TRANSMISSION TOWER (Level = 5, Color = 6, Weight = 1)	Graphic	Symbol	
TRC	TRACT CORNER (Level = 31, Color = 6, Weight = 0)	Graphic	Symbol	
TREE	TREE (Level = 4, Color = 2, Weight = 1)	Graphic	Symbol	
TS	TRAFFIC SIGNAL (Level = 5, Color = 6, Weight = 0)	Graphic	Symbol	
UTLA	UTILITY APPURTENANCE (Level = 5, Color = 6, Weight = 1)	Graphic	Symbol	
UTLP	GENERIC POINT UTILITIES (Level = 5, Color = 6, Weight = 1)	Graphic	Symbol	
VEGP	GENERIC POINT VEGETATION (Level = 4, Color = 2, Weight = 1)	Graphic	Symbol	
VENT	VENT (Level = 5, Color = 6, Weight = 1)	Graphic	Symbol	
VLT	VAULT (Level = 5, Color = 6, Weight = 1)	Graphic	Symbol	
WC	WITNESS CORNER (Level = 30, Color = 6, Weight = 1)	Graphic	Symbol	










<b>SURVEYS</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
WDGR	WOOD GUARD RAIL (Level = 2, Color = 4, Weight = 0)	Graphic	Line Pattern	
WELL	WELL (Level = 6, Color = 1, Weight = 1)	Graphic	Symbol	
WMS	WATER METER SURVEYS (Level = 5, Color = 1, Weight = 1)	Graphic	Symbol	
WV	WATER VALVE (Level = 5, Color = 1, Weight = 1)	Graphic	Symbol	








<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
AB	ABANDON (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
BC	INSTALL BOX IN CONDUIT (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
BPN	PEDESTRIAN BARRICADE (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
BREAKR	CIRCUIT BREAKER (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
CB	INSTALL CONDUIT IN BOX (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
CC	CONNECT CONDUIT (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
CF	CONDUIT FOR FUTURE USE (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
COCOIL	CONTACTOR COIL (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
CONSCH	CONDUCTOR SCHEDULE (Level = 48, Color = 4, Weight = 1)	Graphic	Symbol	
CONTNC	CONTACTOR, NORMALLY CLOSED CONTACT (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	










<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
CONTNO	CONTACTOR, NORMALLY OPEN CONTACT (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
CRN	CONDUIT RUN NUMBER (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
DH	DETECTOR HANDHOLE (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
E12UA	EXISTING 12 UP ARROW (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
E170	EXISTING CONTROLLER CABINET (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
E21TS	EXISTING TYPE 21TS VEHICLE SIGNAL FACE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
E2RSM	EXISTING ROADSIGN ON MAST ARM – TWO STRAP (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
E312LA	EXIST 3_12 LEFT ARROW (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
E5YGRA	EXISTING SIGNAL RED, YELLOW, GREEN ARROW (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
ECC	EXISTING COMMUNICATION CONDUIT (Level = 47, Color = 3, Weight = 1)	Graphic	Line Pattern	







<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
ECCTV	EXISTING CLOSED CIRCUIT TV (Level = 47, Color = 5, Weight = 1)	Graphic	Symbol	
ECE	EXISTING CITY ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
ECFB	EXISTING CANTILEVER FLASH BEACON (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
ECMS	EXISTING CHANGEABLE MESSAGE SIGN (Level = 47, Color = 5, Weight = 1)	Graphic	Symbol	
EDH	EXISTING DETECTOR HANDHOLE (Level = 47, Color = 2, Wt = 0,1)	Graphic	Symbol	
EDLPA2	EXISTING TYPE A DETECTOR LOOP – 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EDLPA5	EXISTING TYPE A DETECTOR LOOP – 50 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EDLPB2	EXISTING TYPE B DETECTOR LOOP – 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EDLPB5	EXISTING TYPE B DETECTOR LOOP – 50 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EDLPC2	EXISTING TYPE C DETECTOR LOOP – 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	







<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
EDLPC5	EXISTING TYPE C DETECTOR LOOP - 50 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EDLPD2	EXISTING TYPE D DETECTOR LOOP - 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EDLPD5	EXISTING TYPE D DETECTOR LOOP - 50 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EDLPE2	EXISTING TYPE E DETECTOR LOOP - 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EDLPE5	EXISTING TYPE E DETECTOR LOOP - 50 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EDLPQ2	EXISTING TYPE Q DETECTOR LOOP - 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EDLPQ5	EXISTING TYPE Q DETECTOR LOOP - 50 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EDPIS	EXISTING 2 POST OVERHEAD ILLUMINATED SIGN (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
EDZON2	EXISTING DETECTION ZONE - 20 SCALE (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
EDZON5	EXISTING DETECTION ZONE - 50 SCALE (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	











<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
EELECT	EXISTING NON-STANDARD ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
EEMS	EXISTING ELECTRONIC MESSAGE SIGN (Level = 47, Color = 5, Weight = 1)	Graphic	Symbol	
EEVD	EXISTING EMERGENCY VEHICLE DETECTOR (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EFAC	EXISTING FIRE ALARM CONDUIT (Level = 47, Color = 3, Weight = 1)	Graphic	Line Pattern	
EFB	EXISTING FLASHING BEACON (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EFBARM	EXISTING FLASHING BEACON WITH ARM (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EFFE	EXISTING ELECTROLIER FOUNDATION (FUTURE INSTALLATION) (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
EFIBOP	EXISTING FIBER OPTIC (Level = 47, Color = 5, Weight = 1)	Graphic	Line Pattern	
EGP	EXISTING GUARD POST (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EHAR	EXISTING HIGHWAY ADVISORY RADIO (Level = 47, Color = 5, Weight = 1)	Graphic	Symbol	









<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
EHML	EXISTING HIGH MAST LIGHT (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
EIBMS	EXISTING ILLUMINATED BR. MOUNTED SIGN (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
EIISNS	EXISTING IISNS (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
EISWL	EXISTING OVERHEAD SIGN WITH ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
ELC	EXISTING LIGHTING CONDUIT (Level = 47, Color = 3, Weight = 1)	Graphic	Line Pattern	
ELOWP	EXISTING LUMINAIRE ON WOOD POLE (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
EM15FB	EXISTING TYPE15 FLASH BEACON (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EMA15	EXISTING 15 FOOT MASTARM 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EMA20	EXISTING 20 FOOT MASTARM 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EMAL25	EXISTING 25 FOOT MASTARM 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	






<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
EMAL30	EXISTING 30 FOOT MASTARM 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EMAL35	EXISTING 35 FOOT MASTARM 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EMAL40	EXISTING 40 FOOT MASTARM 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EMAL45	EXISTING 45 FOOT MASTARM 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EMAL50	EXISTING 50 FOOT MASTARM 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EMAL55	EXISTING 55 FOOT MASTARM 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EMAL60	EXISTING 60 FOOT MASTARM 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EMAL65	EXISTING 65 FOOT MASTARM 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EMD	EXISTING MAGNETIC DETECT (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EMO	EXISTING METER ON SIGN (Level = 47, Color = 5, Weight = 1)	Graphic	Symbol	




<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
EMSWLS	EXISTING MASTARM SIGNAL WITH ILLUMINATION (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EMSWOL	EXISTING MASTARM SIGNAL WITHOUT ILLUMINATION (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EMVDS	EXISTING MICRO VEHICLE DETECTOR (Level = 47, Color = 5, Weight = 1)	Graphic	Symbol	
ENBOND	ENCLOSURE BOND (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
EOHL	EXISTING OVERHEAD LINE (Level = 47, Color = 3, Weight = 1)	Graphic	Line Pattern	
EPB	EXISTING PULLBOX (Level = 47, Color = 3, Weight = 1)	Graphic	Symbol	
EPBAR	EXISTING PEDESTRIAN BARRICADE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EPGUY	EXISTING POLE GUY WITH ANCHOR (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
EPLAN	ELECTRICAL BORDER SHEET (Level = 10, Color = 0, Weight = 0-3)	Graphic	Sheet	
EPLAN2	ELECTRICAL BORDER SHEET FOR CONSULTANT USE (Level = 10, Color = 0, Weight = 0-3)	Graphic	Sheet	




<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
EPMUT	EXISTING PAD MOUNT FOR UTILITY TRANSFORMER (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
EPOLE	EXISTING POLE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EPPB	EXISTING PEDESTRIAN PUSH BUTTON POST (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EPSH	EXISTING PEDESTRIAN SIGNAL FACE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
ER	EXISTING CONDUIT RISER STRUCTURE (Level = 47, Color = 3, Wt = 0,1)	Graphic	Symbol	
ERSM	EXISTING ROAD SIGN ON MAST ARM - ONE STRAP (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
ESCDIS	EXISTING DUAL ILLUMINATED SIGN (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
ESCMIS	EXISTING ILLUMINATED SIGN - CENTERED (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
ESEAL	REGISTERED ELEC STAMP (Level = 10, Color = 0, Weight = 0,1,2)	Graphic	Note	
ESFAV	EXISTING SIGNAL FACE WITH VISOR (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	



<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
ESMS	EXISTING VEHICLE SIGNAL FACE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
ESOWLM	EXISTING SOFIT OR WALL LUMINAIRE TO MODIFY (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
ESOWLU	EXISTING SOFIT OR WALL LUMINAIRE TO REMAIN (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
ESSMIS	EXISTING ILLUMINATED SIGN -SIDE POST (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
ET15	EXISTING TYPE 15 ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
ET15D	EXISTING DUAL ARM LUMINAIRE TYPE 15D ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
ET15DS	EXISTING DUAL ARM LUMINAIRE TYPE 15D ELECTROLIER STRUCTURE (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
ET15S	EXISTING TYPE 15 ELECTROLIER STRUCTURE (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
ET21	EXISTING TYPE 21 ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
ET21D	EXISTING DUAL ARM LUMINAIRE TYPE 21D ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	








<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
ET21DS	EXISTING DUAL ARM LUMINAIRE TYPE 21D ELECTROLIER STRUCTURE (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
ET21S	EXISTING TYPE 21 ELECTROLIER STRUCTURE (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
ET30	EXISTING TYPE 30 ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
ET31	EXISTING TYPE 31 ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
ET32	EXISTING TYPE 32 ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
ET33LA	EXISTING TYPE 33 WITH 2 LIGHT SIGNAL SIGN (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
ET35	EXISTING TYPE 35 ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
ET36	EXISTING TYPE 36 20A ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
ETC	EXISTING TELEPHONE CONDUIT (Level = 47, Color = 3, Weight = 1)	Graphic	Line Pattern	
ETDC	EXISTING TELEPHONE DEMARCAT CABINET (Level = 47, Color = 5, Weight = 1)	Graphic	Symbol	




<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
ETIII	EXISTING TYPE 3 SERVICE ENCLOSURE (Level = 47, Color = 3, Weight = 1)	Graphic	Symbol	
ETITLE	ELECTRICAL TITLE SHEET (Lev = 10, Col = 0,1,2, Weight = 0-3)	Graphic	Symbol	
ETITL2	ELECTRICAL TITLE SHEET FOR CONSULTANT 2 (Lev = 10, Col = 0,1,2, Weight = 0-3)	Graphic	Symbol	
ETITL3	ELECTRICAL TITLE SHEET FOR CONSULTANT 3 (Lev = 10, Col = 0,1,2, Weight = 0-3)	Graphic	Symbol	
ETS	EXISTING TRAFFIC SIGNAL (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
ETSC	EXISTING TRAFFIC SIGNAL CONDUIT (Level = 47, Color = 3, Weight = 1)	Graphic	Line Pattern	
ETYPE1	EXISTING TYPE 1 STANDARD WITH VEHICLE SIGNAL FACES (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
EWD15	EXISTING WIRING DIAGRAM TYPE 15 (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
EWD15S	EXISTING WIRING DIAGRAM TYPE 15S (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
EWD21	EXISTING WIRING DIAGRAM TYPE 21 (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	






<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
EWD21S	EXISTING WIRING DIAGRAM TYPE 21S (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
EWD30	EXISTING WIRING DIAGRAM TYPE 30 (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
EWD31	EXISTING WIRING DIAGRAM TYPE 31 (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
EWD32	EXISTING WIRING DIAGRAM TYPE 32 (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
EWPP	EXISTING POWER POLE (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
FA	FOUNDATION ABANDONED (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
GELECT	GROUNDING ELECTRODE (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
IS	INSTALL SIGN (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
LPHASE	LEFT TURN PHASE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
LUM	MASTARM LUMINAIRE (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	







<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
N112DL	NEW 3 SECTION - 12 RIGHT, DUAL LEFT ARROW (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
N12UA	NEW 12 UP ARROW (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
N15TS	TYPE 15TS AND VEHICLE SIGNAL FACE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
N170	NEW CONTROLLER CABINET (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
N212UA	NEW 3 SECTION-12 RED AND YELLOW, 12 UP GREEN ARROW (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
N21TS	TYPE 21TS VEHICLE SIGNAL FACE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
N2RSM	NEW ROAD SIGN ON MAST ARM – TWO STRAP (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
N2RT	NEW 3 SECTION - 12 DUAL RED ARROWS (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
N312DL	NEW 5 SECTION - 12 RED-YEL-GREEN, DUAL LEFT ARROWS (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
N312DR	NEW 5 SECTION -12 RED-YEL-GRN, DUAL RED ARROWS (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	








<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
N312LA	NEW 12 LEFT TURN (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
N312RT	NEW 3 SECTION - TRI RED ARROWS (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
N38112	NEW 3 SECTION - 8 RED-YEL-GRN, 12 LEFT ARROW (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
N38DL	NEW 5 SECTION - 8 RED-YEL-GRN, DUAL 12 LEFT ARROWS (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
N412LA	NEW 4 SECTION - 12 RED-YEL-GRN, 12 LEFT ARROW (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
N412LR	NEW 4 SECTION - 12 RED-YELLOW, LEFT, RIGHT (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
N412UL	NEW 4 SECTION - 12 RED-YEL, UP GRN ARROW, LEFT ARROW (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
N5YGRA	NEW SIG RED_YEL_GR ARROW (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NCC	NEW COMMUNICATION CONDUIT (Level = 47, Color = 3, Weight = 3)	Graphic	Line Pattern	
NCCTV	NEW CLOSED CIRCUIT TV (Level = 47, Color = 5, Weight = 1)	Graphic	Symbol	

<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
NCE	NEW CITY ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NCFB	NEW CANTILEVER FLASH BEACON (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NCMS	NEW CHANGEABLE MESSAGE SIGN (Level = 47, Color = 5, Weight = 1)	Graphic	Symbol	
NDH	NEW DETECTOR HANDHOLE (Level = 47, Color = 2, Wt = 0,1)	Graphic	Symbol	
NDLPA2	NEW TYPE A DETECTOR LOOP – 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NDLPA5	NEW TYPE A DETECTOR LOOP – 50 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NDLPB2	NEW TYPE B DETECTOR LOOP – 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NDLPB5	NEW TYPE B DETECTOR LOOP – 50 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NDLPC2	NEW TYPE C DETECTOR LOOP – 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NDLPC5	NEW TYPE C DETECTOR LOOP – 50 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	




<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
NDLPD2	NEW TYPE D DETECTOR LOOP – 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NDLPD5	NEW TYPE D DETECTOR LOOP – 50 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NDLPE2	NEW TYPE E DETECTOR LOOP – 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NDLPE5	NEW TYPE E DETECTOR LOOP – 50 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NDLPQ2	NEW TYPE Q DETECTOR LOOP – 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NDLPQ5	NEW TYPE Q DETECTOR LOOP – 50 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NDPIS	NEW 2 POST OVERHEAD ILLUMINATED SIGN (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NDZON2	NEW DETECTION ZONE – 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NDZON5	NEW DETECTION ZONE – 50 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NELECT	ELECTROLIER SEE PROJECT NOTES (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	

<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
NEMS	NEW ELECTRONIC MESSAGE SIGN (Level = 47, Color = 5, Weight = 1)	Graphic	Symbol	
NEVD	NEW EMERGENCY VEHICLE DETECTOR (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NF70W	NEW 70W FLUSH MOUNTED (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NFAC	NEW FIRE ALARM CONDUIT (Level = 47, Color = 3, Weight = 3)	Graphic	Line Pattern	
NFB	NEW FLASHING BEACON (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NFBARM	NEW FLASHING BEACON WITH ARM (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NFFE	NEW ELECTROLIER FOUNDATION (FUTURE INSTALLATION) (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NFIBOP	NEW FIBER OPTIC (Level = 47, Color = 5, Weight = 3)	Graphic	Line Pattern	
NGP	NEW GUARD POST (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NHAR	NEW HIGHWAY ADVISORY RADIO (Level = 47, Color = 5, Weight = 1)	Graphic	Symbol	

<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
NHML	NEW HIGH MAST LIGHTING (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NIBMS	NEW ILLUMINATED BR MOUNTED SIGN (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NIISNS	NEW IISNS (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NISWL	NEW OVERHEAD SIGN WITH ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NLC	NEW LIGHTING CONDUIT (Level = 47, Color = 3, Weight = 3)	Graphic	Line Pattern	
NLOWP	NEW LUMINAIRE ON WOOD POLE (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NM15FB	NEW TYPE15 FLASH BEACON (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NMA15	NEW 15 FOOT MAST ARM - 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NMA20	NEW 20 FOOT MAST ARM - 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NMAL25	NEW 25 FOOT MAST ARM - 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	







<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
NMAL30	NEW 30 FOOT MAST ARM - 30 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NMAL35	NEW 35 FOOT MAST ARM - 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NMAL40	NEW 40 FOOT MAST ARM - 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NMAL45	NEW 45 FOOT MAST ARM - 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NMAL50	NEW 50 FOOT MAST ARM - 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NMAL55	NEW 55 FOOT MAST ARM - 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NMAL60	NEW 60 FOOT MAST ARM - 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NMAL65	NEW 65 FOOT MAST ARM - 20 SCALE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NMD	NEW MAGNETIC DETECTOR (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NMO	NEW METER ON SIGN (Level = 47, Color = 5, Weight = 1)	Graphic	Symbol	



<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
NMSWLS	NEW MAS TARM SIGNAL WITH LUMINAIRE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NMSWOL	NEW MAST ARM WITHOUT LUMINAIRE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NMVDS	NEW MICRO VEHICLE DETECTOR (Level = 47, Color = 5, Weight = 1)	Graphic	Symbol	
NOHL	NEW OVER HEAD LINE (Level = 47, Color = 3, Weight = 3)	Graphic	Line Pattern	
NP70W	NEW PENDANT - 70W (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NPB	NEW PULL BOX (Level = 47, Color = 3, Weight = 1)	Graphic	Symbol	
NPBAR	NEW PEDESTRIAN BARRICADE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NPGUY	NEW POLE GUY WITH ANCHOR (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
NPMUT	NEW PAD MOUNT FOR UTILITY TRANSFORMER (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
NPOLE	NEW POLE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	


<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
NPPB	NEW PEDESTRIAN PUSH BUTTON (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NPSH	NEW PEDESTRIAN SIGNAL FACE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NR	NEW CONDUIT RISER STRUCTURE (Level = 47, Color = 3, Weight = 1)	Graphic	Symbol	
NRSM	NEW ROAD SIGN ON MAST ARM - ONE STRAP (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NS	NO SLIP BASE ON STANDARD (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
NSCDIS	NEW DUAL ILLUMINATED SIGN (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NSCMIS	NEW ILLUMINATED SIGN - CENTERED (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NSFAV	NEW SIGNAL FACE WITH VISOR (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NSMS	NEW VEHICLE SIGNAL FACE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NSSMIS	NEW ILLUMINATED SIGN - SIDE POST (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	




<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
NT15	NEW TYPE 15 ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NT15D	NEW DUAL ARM LUMINAIRE TYPE 15D ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NT15DS	NEW DUAL ARM LUMINAIRE TYPE 15D ELECTROLIER STRUCTURE (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NT15S	NEW TYPE 15 ELECTROLIER STRUCTURE (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NT21	NEW TYPE 21 ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NT21D	NEW DUAL ARM LUMINAIRE TYPE 21D ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NT21DS	NEW DUAL ARM LUMINAIRE TYPE 21D ELECTROLIER STRUCTURE (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NT21S	NEW TYPE 21 ELECTROLIER STRUCTURE (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NT30	NEW TYPE 30 ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NT31	NEW TYPE 31 ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	

<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
NT32	NEW TYPE 32 ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NT33LA	NEW TYPE 33 WITH 2 LIGHT SIGNAL SIGN (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
NT35	NEW TYPE 35 ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NT36	NEW TYPE 36 20A ELECTROLIER (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NTC	NEW TELEPHONE CONDUIT (Level = 47, Color = 3, Wt = 1,3)	Graphic	Line Pattern	
NTDC	NEW TELEPHONE DEMARCATION CABINET (Level = 47, Color = 5, Weight = 1)	Graphic	Symbol	
NTIII	NEW TYPE 3 SERVICE ENCLOSURE (Level = 47, Color = 3, Weight = 1)	Graphic	Symbol	
NTSC	NEW TRAFFIC SIGNAL CONDUIT (Level = 47, Color = 3, Weight = 3)	Graphic	Line Pattern	
NTYPE1	NEW TYPE 1 STANDARD WITH VEHICLE SIGNAL FACES (Level = 47, Color = 2, Weight = 3)	Graphic	Symbol	
NW70W	NEW WALL SURFACE - 70W (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	

<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
NWD15	NEW WIRING DIAGRAM TYPE 15 (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NWD15S	NEW WIRING DIAGRAM TYPE 15S (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NWD21	NEW WIRING DIAGRAM TYPE 21 (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NWD21S	NEW WIRING DIAGRAM TYPE 21S (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	<small>NWD21S</small> 
NWD30	NEW WIRING DIAGRAM TYPE 30 (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NWD31	NEW WIRING DIAGRAM TYPE 31 (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NWD32	NEW WIRING DIAGRAM TYPE 32 (Level = 47, Color = 4, Weight = 1)	Graphic	Symbol	
NWPP	NEW WOOD POWER POLE (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
PEC	PHOTOELECTRIC CONTROL (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
PEU	PHOTOELECTRIC UNIT (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	

<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
PH	PHASE SYMBOL (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
POLSCH	POLE SCHEDULE (Level = 48, Color = 4, Weight = 1)	Graphic	Table	
PPHASE	PEDESTRIAN SIGNAL PHASE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
PSI	POLE SCHEDULE IDENTIFIER (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
RC	REMOVAL BY CONTRACTOR (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
RE	REMOVE ELECTROLIER (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
RECEPT	RECEPTACLE (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
RL	RELOCATE EQUIPMENT (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
RR	REMOVE AND REUSE EQUIPMENT (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
RS	REMOVE AND SALVAGE EQUIPMENT (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	

<b>TRAFFIC / ELECTRICAL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
RSM	ROAD SIGN ON MAST ARM (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
SC	SPLICE NEW 2 EX CONDUCTOR (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
SD	SERVICE DISCONNECT (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
TERMBL	TERMINAL BLOCKS (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
TIEPT	TIE POINT (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
TPHASE	THROUGH SIGNAL PHASE (Level = 47, Color = 2, Weight = 1)	Graphic	Symbol	
TSP	TELEPHONE SERVICE POINT (Level = 47, Color = 0, Weight = 1)	Graphic	Symbol	
VOLTAC	VOLT (ALTERNATING CURRENT) (Level = 47, Color = 0, Weight = 1)	Graphic	Label	
VOLTDC	VOLT (DIRECT CURRENT) (Level = 47, Color = 0, Weight = 1)	Graphic	Label	
WARN	CIRCUIT WARNING MESSAGE (Level = 48, Color = 4, Weight = 1)	Graphic	Notes	

<b>WATER POLLUTION CONTROL</b>				
<i>Name</i>	<i>Cell Description (symbology)</i>	<i>Cell Type</i>	<i>Type of Use</i>	<i>Image</i>
STPILE	TEMP STOCKPILE (Level = 34, Color = 6, Weight = 1)	Graphic	Symbol	
TCHDAM	TEMP CHECK DAM (Level = 34, Color = 6, Weight = 1)	Graphic	Symbol	
TDIP	TEMP DRAIN INLET PROTECT (Level = 34, Color = 6, Weight = 1)	Graphic	Symbol	
TEXTIT	TEMP ENTRANCE EXIT (Level = 34, Color = 6, Weight = 1)	Graphic	Symbol	
TOUT	TEMP DRAIN OUTLET PROTECT (Level = 34, Color = 6, Weight = 1)	Graphic	Symbol	
WASH	TEMP CONCRETE WASHOUT (Level = 34, Color = 6, Weight = 1)	Graphic	Symbol	